

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 12/20/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 1

L.T.C.-RIVER PARISHES  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	A000	A203	MAST2110B01	1 1	7.30 9.59		4	884	110 30 00000
	A000	A203	MAST2210B01	1 1	8.30 11.29		5	884	110 30 00000
	A000	A203	MAST2140B01	1 1	10.00 11.59		4	884	110 30 00000
	A000	A203	MAST1120B91	11111	11.36 13.03	1	2	884	110 30 00000
	A000	A203	BOTH1250B01	1 1	12.30 14.59	1	4	884	110 30 00000
	A000	A203	BOTH1230B01	1 1	13.00 13.59		4	884	110 30 00000
	A000	A203	BOTH1240B01	1 1	14.00 15.29		4	884	110 30 00000
	A000	A203	SPCH1015B01	1	17.00 20.00		11	884	110 30 00000
	A000	A300	HCOR1212B01	11111	7.00 8.55		18	1,113	110 40 00000
	A000	A300	OSYS2530B90	11111	7.19 8.53	1	8	1,113	110 40 00000
	A000	A300	HMDT1170B02	1	8.30 9.29	1	11	1,113	110 40 00000
	A000	A300	MAST1220B01	1 1	8.30 11.29		12	1,113	110 40 00000
	A000	A300	HCOR1120B02	1 1	9.31 10.34		11	1,113	110 40 00000
	A000	A300	HCOR1160B02	1	10.30 11.29	1	4	1,113	110 40 00000
	A000	A300	MAST1120B02	1 1	11.30 12.29		11	1,113	110 40 00000
	A000	A300	MAST1110B01	1	11.30 12.29		15	1,113	110 40 00000
	A000	A300	MAST1210B02	1 1	13.00 14.59		16	1,113	110 40 00000
	A000	A300	MAST1130B01	1 1	13.30 14.59		8	1,113	110 40 00000
	A000	A300	HNUR2723B01	11	15.00 16.00		12	1,113	110 40 00000
	A000	A300	SPCH1015R01	1 1	15.00 16.29	1	24	1,113	110 40 00000
	A000	A300	SPCH1015R02	1	17.00 19.59		26	1,113	110 40 00000
	A000	A300	OSYS1100B01	1 1	17.15 18.44		7	1,113	110 40 00000
	A000	A303	HNUR2611B01	1	8.00 11.00		12	786	220 24 00000
	A000	A303	HNUR2123B01	11	14.20 16.00		12	786	220 24 00000
	C000	C100	KYBD1010B86	11111	7.15 8.45		10	970	210 28 00000
	C000	C100	BUSE1030BW1	1 1	8.30 9.59	1	11	970	210 28 00000
	C000	C100	BUSM1050BW1	1 1	9.00 10.59		9	970	210 28 00000
	C000	C100	JOBS2450BW1	1 1	10.00 10.59		24	970	210 28 00000
	C000	C100	JOBS2450P03	1 1	11.00 12.00		4	970	210 28 00000
	C000	C100	BUSE1045B01	1 1	12.00 13.29		4	970	210 28 00000
	C000	C100	ACCT1300BW1	1 1	12.00 13.59	1	1	970	210 28 00000
	C000	C100	ACCT1100BW1	1111	14.00 15.14		12	970	210 28 00000
	C000	C100	KYBD1010B02	1 1	14.00 15.29	1	11	970	210 28 00000
	C000	C100	ISYS1440B01	1111	15.00 16.45	1	2	970	210 28 00000
	C000	C100	KYBD1010B01	1 1	17.00 18.29		4	970	210 28 00000
	C000	C100	JOBS2450BW3	1	17.00 18.59		25	970	210 28 00000
	C000	C200	SPPR2999B01	1 1	7.00 11.29		4	5,062	210 40 00000
4	C000	C200	HACR2540B01	1	8.00 15.29		14	5,062	210 40 00000
	C000	C201	HACR1210B01	1111	8.00 9.29		7	480	110 15 00000
	C000	C201	SOLR1000B01	1	8.00 10.59	1	2	480	110 15 00000
	C000	C201	HACR2560B01	1	8.00 11.59		13	480	110 15 00000
	C000	C201	HACR1220B01	1111	9.31 11.04	1	7	480	110 15 00000
	C000	C201	SOLR1010B01	1	11.00 13.29	1	1	480	110 15 00000
8	C000	C201	HACR1230B01	1111	12.00 13.29	1	7	480	110 15 00000
	C000	C201	HACR1240B01	1 111	13.31 15.04		7	480	110 15 00000
	C000	C201	HACR2550B01	1	13.45 14.29	1	14	480	110 15 00000
	C000	C300	DVRE0090B01	1 1	8.00 9.59		4	1,925	210 60 00000
	C000	C300	DVRE0091B01	1 1	8.00 9.59	1	12	1,925	210 60 00000
	C000	C300	DVEN0091B01	1 1	8.00 9.59		8	1,925	210 60 00000
	C000	C300	DVRE0092B01	1 1	8.00 9.59	1	10	1,925	210 60 00000
	C000	C300	DVMA0090B01	1 1	10.00 11.59		28	1,925	210 60 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 12/20/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 2

L.T.C.-RIVER PARISHES  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	C000	C300	DVEN0090B01	1 1	10.00 11.59		3	1,925	210 60	00000
	C000	C300	DVEN0092B01	1 1	10.00 11.59	1	13	1,925	210 60	00000
	C000	C300	DRFT1230B10	1111	12.00 13.55		2	1,925	210 60	00000
	C000	C300	DRFT1161B08	1111	12.00 14.50	1	2	1,925	210 60	00000
	C000	C300	DRFT1145B08	1111	12.00 15.45	1	2	1,925	210 60	00000
	C000	C300	DRFT1230BW2	1111	12.36 13.45	1	1	1,925	210 60	00000
	C000	C300	DVMA0092B01	1 1	12.40 14.39	1	18	1,925	210 60	00000
	C000	C300	DVMA0091B01	1 1	12.40 14.40		22	1,925	210 60	00000
	C000	C300	DRFT2661B02	11	13.00 17.00	1	1	1,925	210 60	00000
	C000	C300	DVMA0090B02	1 1	16.00 17.59	1	18	1,925	210 60	00000
	C000	C300	DVMA0092B02	1 1	16.00 17.59	1	16	1,925	210 60	00000
	C000	C300	DVRE0092B03	1 1	16.00 17.59	1	6	1,925	210 60	00000
	C000	C300	DVEN0092B02	1 1	16.00 17.59		16	1,925	210 60	00000
	C000	C300	DVRE0090B02	1 1	16.00 18.00		1	1,925	210 60	00000
	C000	C300	DVEN0090B02	1 1	16.00 18.00		4	1,925	210 60	00000
	C000	C300	DVMA0091B02	1 1	18.00 19.59		22	1,925	210 60	00000
	C000	C300	DVRE0091B02	1 1	18.00 19.59	1	7	1,925	210 60	00000
4	8	C000	C304	DVED2996B03	1111	8.00 15.00	38	506	110 20	00000
		C000	C304	DVED2996B05	1111	15.00 20.00	20	506	110 20	00000
4		C000	C400	SPPR2999B02	1 11	7.00 15.30	1	1,833	210 30	00000
		C000	C400	SPPR2991B04	1111	9.45 11.15	1	1,833	210 30	00000
		C000	C400	DRFT1230B07	1111	9.45 12.15	1	1,833	210 30	00000
		C000	C400	DRFT1230B02	1111	9.45 13.29	1	1,833	210 30	00000
		C000	C400	DRFT1230B05	1111	9.45 13.29	1	1,833	210 30	00000
		C000	C400	DRFT1220B01	1111	9.45 14.29	1	1,833	210 30	00000
4		C000	C400	CADD1215B01	1111	9.45 15.29	1	1,833	210 30	00000
4		C000	C400	CADD1215B03	1111	9.45 15.29	1	1,833	210 30	00000
4		C000	C400	DRFT2310B01	1111	9.45 15.29	1	1,833	210 30	00000
4		C000	C400	DRFT2310B03	1111	9.45 15.29	1	1,833	210 30	00000
4		C000	C400	DRFT2320B01	1111	9.45 15.29	1	1,833	210 30	00000
4		C000	C400	DRFT2320B02	1111	9.45 15.29	1	1,833	210 30	00000
4		C000	C400	DRFT2330B01	1111	9.45 15.29	1	1,833	210 30	00000
4		C000	C400	DRFT2330B02	1111	9.45 15.29	1	1,833	210 30	00000
4		C000	C400	DRFT1145B01	1	9.45 15.29	1	1,833	210 30	00000
4		C000	C400	CADD1215B02	1111	9.45 15.30	1	1,833	210 30	00000
4		C000	C400	DRFT2310B02	1111	9.45 15.30	1	1,833	210 30	00000
4		C000	C400	DRFT2340B01	1111	9.45 15.30	1	1,833	210 30	00000
4		C000	C400	DRFT2350B01	1111	9.45 15.30	1	1,833	210 30	00000
4		C000	C400	DRFT2431B01	1111	9.45 15.30	1	1,833	210 30	00000
4		C000	C400	DRFT2531B01	1111	9.45 15.30	1	1,833	210 30	00000
4		C000	C400	DRFT1110B01	1111	9.45 15.54	1	1,833	210 30	00000
4		C000	C400	DRFT1120B01	1111	9.45 15.54	1	1,833	210 30	00000
4		C000	C400	DRFT1130B01	1111	9.45 15.54	1	1,833	210 30	00000
4		C000	C400	DRFT1130B02	1111	9.45 15.54	1	1,833	210 30	00000
4		C000	C400	DRFT1161B01	1111	9.45 15.55	1	1,833	210 30	00000
4		C000	C400	DRFT1161B05	1111	9.45 15.55	1	1,833	210 30	00000
4		C000	C400	CADD1210B02	1111	9.45 16.49	1	1,833	210 30	00000
4		C000	C400	DRFT1145B04	1111	9.45 16.50	1	1,833	210 30	00000
4		C000	C400	DRFT1215B05	1111	9.45 16.50	1	1,833	210 30	00000
4		C000	C400	DRFT2320B03	1111	9.45 16.50	1	1,833	210 30	00000
4		C000	C400	CADD1215B06	1111	10.00 15.45	1	1,833	210 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 12/20/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 3

L.T.C.-RIVER PARISHES  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	C000 C400	DRFT1145B05	1111	10.00 15.45	1	1	1,833	210 30	00000
4	8 C000 C400	DRFT1120B04	1111	10.00 16.10	1	1	1,833	210 30	00000
4	8 C000 C400	DRFT1130B05	1111	10.00 16.10	1	1	1,833	210 30	00000
4	8 C000 C400	DRFT1161B06	1111	10.00 16.10	1	1	1,833	210 30	00000
	8 C000 C400	DRFT1110BW1	1 1	12.00 13.59	1	1	1,833	210 30	00000
	8 C000 C400	DRFT1120BW1	1 1	12.00 13.59	1	1	1,833	210 30	00000
	8 C000 C400	DRFT1145BW1	1 1	12.00 14.00	1	1	1,833	210 30	00000
	8 C000 C400	DRFT1110B03	1111	13.00 15.14	1	1	1,833	210 30	00000
	8 C000 C400	DRFT1120B03	1111	13.00 15.14	1	1	1,833	210 30	00000
	8 C000 C400	DRFT1130B04	1111	13.00 15.14	1	1	1,833	210 30	00000
	C000 C400	CHEM1410B01	1	18.00 21.00		12	1,833	210 30	00000
	C000 C500	IMMT1110B91	111111	7.15 8.45		7	3,363	210 30	00000
	C000 C500	IMMT1111B91	111111	7.15 8.45	1	7	3,363	210 30	00000
	C000 C500	IMMT1311B91	111111	7.15 8.45	1	7	3,363	210 30	00000
4	C000 C500	IMMT2999B01	1	7.30 16.59	1	5	3,363	210 30	00000
	C000 C500	IMMT1110B01	111111	8.00 10.59	1	11	3,363	210 30	00000
	C000 C500	IMMT1110B92	111111	11.00 14.40		16	3,363	210 30	00000
	C000 C500	IMMT1111B92	111111	11.00 14.40	1	17	3,363	210 30	00000
	8 C000 C500	IMMT1311BP2	111111	11.00 14.40	1	17	3,363	210 30	00000
	8 C000 C500	IMMT1241B01	1111	13.00 15.29	1	22	3,363	210 30	00000
	8 C000 C500	IMMT1231B01	1111	13.00 15.30	1	24	3,363	210 30	00000
	C000 C503	IMMT1503B02	111111	8.00 11.00		12	450	110 20	00000
	C000 C503	IMMT1320B02	1111	8.00 11.00	1	4	450	110 20	00000
	C000 C503	IMMT1321B02	1111	8.00 11.00	1	4	450	110 20	00000
	8 C000 C503	IMMT1410B01	1111	8.00 11.00	1	11	450	110 20	00000
	C000 C503	IMMT1230B01	1111	13.00 15.29		24	450	110 20	00000
	C000 C503	PTEC1010B12	1	18.00 21.00		24	450	110 20	00000
	C000 C601	IMMT2995B50	111111	7.00 12.00		27	450	110 20	00000
	C000 C601	WELD1210B01	111111	8.00 12.29	1	3	450	110 20	00000
	8 C000 C601	WELD1310B01	111111	8.00 12.29	1	1	450	110 20	00000
4	8 C000 C601	WELD1120B02	111111	8.00 13.29	1	1	450	110 20	00000
4	8 C000 C601	WELD1110B01	111111	8.00 14.29	1	6	450	110 20	00000
4	8 C000 C601	WELD1130B02	111111	8.00 14.29	1	2	450	110 20	00000
4	8 C000 C601	WELD1412B01	111111	8.00 14.29	1	6	450	110 20	00000
4	8 C000 C601	WELD1420B01	111111	8.00 14.29	1	4	450	110 20	00000
4	8 C000 C601	WELD1511B01	111111	8.00 14.29	1	3	450	110 20	00000
4	8 C000 C601	WELD1512B01	111111	8.00 14.29	1	4	450	110 20	00000
4	8 C000 C601	WELD2230B02	111111	8.00 14.30	1	2	450	110 20	00000
4	8 C000 C601	WELD1410B01	111111	8.00 15.29	1	3	450	110 20	00000
4	8 C000 C601	WELD1411B01	111111	8.00 15.29	1	3	450	110 20	00000
4	8 C000 C601	WELD2110B01	111111	8.00 15.29	1	3	450	110 20	00000
4	8 C000 C601	WELD2111B02	111111	8.00 15.29	1	2	450	110 20	00000
4	8 C000 C601	WELD2310B01	111111	8.00 15.29	1	3	450	110 20	00000
4	8 C000 C601	WELD2311B01	111111	8.00 15.29	1	2	450	110 20	00000
4	8 C000 C601	WELD1140B02	111111	8.00 17.29	1	4	450	110 20	00000
4	8 C000 C601	WELD2995B50	111111	12.30 21.00	1	34	450	110 20	00000
	8 C000 C601	WELD1140B01	1111	16.00 20.29	1	3	450	110 20	00000
	8 C000 C601	WELD1420B02	1111	16.00 20.49	1	1	450	110 20	00000
	8 C000 C601	WELD1510B02	1111	16.00 20.49	1	1	450	110 20	00000
	8 C000 C601	WELD2210B06	1111	16.00 21.00	1	1	450	110 20	00000
4	8 C000 C601	WELD1110B03	1111	16.00 21.29	1	1	450	110 20	00000

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	C000 C601	WELD1120B01	1111	16.00 21.29	1	1	450	110 20 00000
4	8	C000 C601	WELD1130B01	1111	16.00 21.29	1	3	450	110 20 00000
4	8	C000 C601	WELD1210B02	1111	16.00 21.29	1	3	450	110 20 00000
4	8	C000 C601	WELD1410B02	1111	16.00 21.29	1	4	450	110 20 00000
4	8	C000 C601	WELD1411B02	1111	16.00 21.29	1	3	450	110 20 00000
4	8	C000 C601	WELD2110B02	1111	16.00 21.29	1	2	450	110 20 00000
4	8	C000 C601	WELD2111B01	1111	16.00 21.29	1	3	450	110 20 00000
4	8	C000 C601	WELD2310P02	1111	16.00 21.29	1	2	450	110 20 00000
4	8	C000 C601	WELD2311P02	1111	16.00 21.29	1	2	450	110 20 00000
4	8	C000 C601	WELD2230B01	1111	16.00 21.30	1	1	450	110 20 00000
		D000 D102	PTEC1010B01	1 1	7.30 8.59		24	727	110 26 00000
		D000 D102	PTEC1010B03	1 1	8.00 9.29		27	727	110 26 00000
		D000 D102	PTEC1010B02	1 1	9.30 10.59		22	727	110 26 00000
		D000 D102	PTEC1320B03	1 1	12.30 14.29		20	727	110 26 00000
		D000 D102	PTEC1310B05	1 1	12.30 14.29		25	727	110 26 00000
		D000 D102	PTEC2630B03	1 1	14.30 15.59		20	727	110 26 00000
		D000 D102	PTEC2912B01	1 1	14.30 15.59		12	727	110 26 00000
		D000 D102	PTEC1310B04	1	17.30 21.30		26	727	110 26 00000
		D000 D106	PTEC1010B91	11111	7.35 10.15		8	615	110 23 00000
		D000 D106	PTEC1010B06	1 1	8.00 9.30	1	2	615	110 23 00000
		D000 D106	PTEC2030B01	1 1	8.00 9.58		20	615	110 23 00000
4		D000 D106	PTEC2911B03	1	8.00 16.00		4	615	110 23 00000
		D000 D106	PTEC1610B01	1 1	9.00 10.59		24	615	110 23 00000
		D000 D106	PTEC2440B04	1 1	10.00 11.29		16	615	110 23 00000
		D000 D106	PTEC1010B92	11111	11.22 14.05	1	9	615	110 23 00000
8		D000 D106	PTEC2420B02	1 1	12.00 14.29	1	20	615	110 23 00000
		D000 D106	PTEC1320B01	1 1	12.30 14.29		20	615	110 23 00000
		D000 D106	PTEC1320B02	1	17.30 21.29		18	615	110 23 00000
		D000 D106	PTEC1610B02	1	17.30 21.29		24	615	110 23 00000
		D000 D106	PTEC1610B02	1	17.30 21.30		19	615	110 23 00000
		D000 D106	PTEC1610B03	1	17.30 21.30		22	615	110 23 00000
		D000 D106	PTEC1320B01	1	17.30 21.30		9	615	110 23 00000
		D000 D106	PTEC1010B04	1	18.00 20.59		24	615	110 23 00000
		D000 D107	MATH1110B01	1 1	8.00 9.29		7	633	110 51 00000
		D000 D107	MATH1015BW2	1 1	10.30 12.00		24	633	110 51 00000
		D000 D107	MATH1015BW3	1 1	13.00 14.29		25	633	110 51 00000
		D000 D107	PTEC2630B01	1	17.30 20.29		20	633	110 51 00000
		D000 D107	PTEC2440B01	1	18.00 20.59		19	633	110 51 00000
		D000 D107	PTEC1010B05	1	18.00 20.59		22	633	110 51 00000
4		D000 D117	PTEC2430B03	1	7.00 12.29		12	3,245	210 80 00000
4		D000 D117	PTEC2911B02	1	7.30 14.30		6	3,245	210 80 00000
4	9	D000 D117	PTEC2911B02	1	7.30 14.30		6	3,245	210 80 00000
4		D000 D117	PTEC2911B01	1	7.30 16.59		5	3,245	210 80 00000
		D000 D117	PTEC2420B01	1 1	10.00 11.59		20	3,245	210 80 00000
		D000 D117	PTEC2440B05	1 1	10.00 13.00		1	3,245	210 80 00000
		D000 D117	PTEC1310B02	1 1	12.30 14.29		10	3,245	210 80 00000
		D000 D117	PTEC1310B01	1 1	12.30 14.30	1	25	3,245	210 80 00000
		D000 D117	PTEC1000B02	1	14.00 16.00		23	3,245	210 80 00000
		D000 D117	PTEC1000B01	1	17.00 19.00		22	3,245	210 80 00000
		D000 D117	PTEC2630B02	1	17.30 20.29		20	3,245	210 80 00000
		D000 D117	PTEC1310B03	1	17.30 21.30		25	3,245	210 80 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 12/20/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 5

L.T.C.-RIVER PARISHES  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	D000 D117	PTEC2430B01	1	17.30 22.59		14	3,245	210 80	00000	
4	D000 D117	PTEC2430B02	1	17.30 22.59		15	3,245	210 80	00000	
	D000 D200	INST2630B01	11111	7.30 8.59		16	790	210 31	00000	
	D000 D200	INST1330B01	11111	9.00 11.29		16	790	210 31	00000	
	D000 D200	INST2620PB1	1 1	13.00 17.29		17	790	210 31	00000	
	D000 D200	ENGL1060B02	1 1	13.30 14.59	1	13	790	210 31	00000	
	D000 D200	INST2820B01	1 1	17.30 20.29		12	790	210 31	00000	
	D000 D204	INST11110B01	111111	12.00 12.59		15	479	110 20	00000	
	D000 D204	ENGL1015BW1	1 1	13.00 14.59		21	479	110 20	00000	
8	D000 D204	ETRN1130B01	1 1	13.00 15.29	1	12	479	110 20	00000	
	D000 D204	ETRN1210B01	1 1	15.30 17.59		6	479	110 20	00000	
	D000 D204	ETRN1120B01	1 1	18.00 20.29		15	479	110 20	00000	
	D000 D204	ETRN1220B01	1 1	18.00 20.29		22	479	110 20	00000	
	D000 D204	INST2830B01	1 1	18.00 20.59		24	479	110 20	00000	
	D000 D300	INST1430B01	1 1	13.00 15.29		22	2,007	210 41	00000	
	D000 D300	INST1420B01	1 1	15.30 17.59		21	2,007	210 41	00000	
	D000 D300	INST2730B01	1 1	17.00 19.29		12	2,007	210 41	00000	
	D000 D300	INST1410B01	1 1	18.00 20.59		23	2,007	210 41	00000	
	E000 E100	HNUR1211B01	111111	8.00 8.59		18	915	210 30	00000	
	E000 E100	HCOR1601B01	1	8.00 11.59	1	6	915	210 30	00000	
4	E000 E100	HEKG1113B01	1	8.00 14.29		14	915	210 30	00000	
4	E000 E100	HPHL1013B01	11	8.00 15.29		14	915	210 30	00000	
	E000 E100	BOTH1210B01	111	9.30 10.29		21	915	210 30	00000	
	E000 E100	BOTH1120B01	1 1 1	12.00 12.59		21	915	210 30	00000	
	E000 E100	HCOR1801B01	1 1	12.00 13.59		21	915	210 30	00000	
	E000 E100	BOTH1300B01	1 1 1	13.00 13.59		19	915	210 30	00000	
1	E000 E200	BOTH1120B02	1 1	18.30 20.00		4			00000	
1	E000 E200	BOTH1300B02	1 1	18.30 20.00		4			00000	
4	G000 G200	DVED2996B02	1111	8.00 15.00		39	1,426	110 30	00000	
8	G000 G200	PTEC2440B02	1 1	13.30 14.49	1	23	1,426	110 30	00000	
	G000 G200	DVED2996B04	1111	15.00 20.00		35	1,426	110 30	00000	
4	8	G000 G200	PTEC2420B03	1	16.30 21.59	1	23	1,426	110 30	00000
4	G000 G200	PTEC2420B04	1	16.30 21.59		20	1,426	110 30	00000	
	G000 G200	PTEC2030B02	1	18.00 20.00		19	1,426	110 30	00000	
	G000 G200	PTEC2912B02	1	18.00 20.59		11	1,426	110 30	00000	
	H000 H100	CHEM1411B01	1	14.00 15.59		4	1,056	210 30	00000	
	H000 H100	CHEM1411B02	1	16.00 17.59		11	1,056	210 30	00000	
	H000 H100	PHSC1016B04	1	17.00 18.00		15	1,056	210 30	00000	
	H000 H100	PHSC1015B03	1	17.00 19.59		21	1,056	210 30	00000	
	H000 H100	PHSC1015B04	1	18.01 21.00		14	1,056	210 30	00000	
	H000 H100	PHSC1016B03	1	20.00 21.00		15	1,056	210 30	00000	

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	2
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	73
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	51
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	1
TOTAL ERRORS (INCLUDING WARNINGS)	127
TOTAL NUMBER OF RECORDS READ	245
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	242
NUMBER OF JOINT-CLASS RECORDS	121
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-RIVER PARISHES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			15
TOTAL NUMBER OF STATIONS (CAPACITY)			385
WEEKLY STUDENT CONTACT HOURS	11265	1331	12596
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1350	750	2100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2700	138	2838
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	34650	19250	53900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	58545	3904	62449
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	22530	2662	25192
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	200.0	18.4	135.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	65.0	13.8	46.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	38.5	68.2	40.3

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			360
WEEKLY STUDENT CONTACT HOURS	11265	1331	12596
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1260	700	1960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2700	138	2838
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	32400	18000	50400
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	58545	3904	62449
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	22530	2662	25192
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	214.3	19.7	144.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	69.5	14.8	50.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	38.5	68.2	40.3

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			20
TOTAL NUMBER OF STATIONS (CAPACITY)			626
WEEKLY STUDENT CONTACT HOURS	6103	982	7086
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1800	1000	2800
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2070	122	2192
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	56340	31300	87640
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	72052	6374	78426
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	12207	1965	14172
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	115.0	12.2	78.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	21.7	6.3	16.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	16.9	30.8	18.1

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			476
WEEKLY STUDENT CONTACT HOURS	6019	982	7002
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1260	700	1960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2056	122	2178
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	42840	23800	66640
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	71716	6374	78090
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	12039	1965	14004
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	163.2	17.4	111.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	28.1	8.3	21.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	16.8	30.8	17.9



## SPACE UTILIZ - SUMMARY PAGE

## L.T.C.-RIVER PARISHES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABBORATORY			
TOTAL NUMBER OF ROOMS			6
TOTAL NUMBER OF STATIONS (CAPACITY)			150
WEEKLY STUDENT CONTACT HOURS	84		84
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	540	300	840
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	14		14
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	13500	7500	21000
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	336		336
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	168		168
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	2.6	.0	1.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	1.2	.0	.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	50.0	.0	50.0

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY