

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 11/22/2016 12:51:41
 PAGE NUM 1

L.T.C.-LAFOURCHE
 BRANCH
 PARISH
 RELATION LAFOURCHE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	A000	0112	DVEN0090C01	1 1	8.30 10.30		1	589	240 21 00000	
	A000	0112	DVEN0091C01	1 1	8.30 10.30	1	2	589	240 21 00000	
	A000	0112	DVEN0092C01	1 1	8.30 10.30	1	8	589	240 21 00000	
	A000	0112	BOTH2110C01	1 1	10.01 11.31		9	589	240 21 00000	
	A000	0112	BUSE1050C01	1 1	10.45 13.15		12	589	240 21 00000	
	A000	0112	KYBD1200C01	1 1	12.00 14.30		3	589	240 21 00000	
	A000	0112	CPTR1005C01	1 1	13.30 15.00		3	589	240 21 00000	
	A000	0112	ENGL1015C01	1	17.00 20.15		4	589	240 21 00000	
	A000	0114	SURG2215C01	11111	8.00 10.40		9	770	110 24 00000	
	A000	0116	DVMA0090C01	1 1	10.10 12.10		4	702	240 22 00000	
	A000	0116	DVMA0092C01	1 1	10.10 12.10	1	5	702	240 22 00000	
	A000	0116	DVMA0091C01	11	10.10 12.10	1	2	702	240 22 00000	
	A000	0116	OSYS1100C01	1 1	11.00 12.30	1	5	702	240 22 00000	
	A000	0116	BOTH1120C01	1 1	13.30 15.00		3	702	240 22 00000	
	A000	0122	SURG1033C01	1 1 1	8.00 10.00		12	972	110 21 00000	
	A000	0122	SURG1032C01	1 1	10.00 11.30		12	972	110 21 00000	
	A000	0122	SURG1133C01	11111	12.00 12.50		12	972	110 21 00000	
	A000	0131	WELD1110C01	11111	7.30 8.30		4	480	110 16 00000	
4	A000	0131	WELD1110C03	11111	7.30 14.00	1	3	480	110 16 00000	
	A000	0131	WELD1120C01	11111	12.26 14.00	1	4	480	110 16 00000	
4	A000	0134	AUTO1400CJ1	11111	14.00 20.00		15	3,128	210 18 00000	
4	8	A000	0134	AUTO1410CJ1	11111	14.00 20.00	1	15	3,128	210 18 00000
4	8	A000	0134	AUTO1420CJ1	11111	14.00 20.00	1	15	3,128	210 18 00000
4	8	A000	0134	AUTO1420C31	11111	14.00 20.00	1	10	3,128	210 18 00000
4	8	A000	0134	AUTO1430CJ1	11111	14.00 20.00	1	15	3,128	210 18 00000
4	8	A000	0134	AUTO1430C31	11111	14.00 20.00	1	10	3,128	210 18 00000
4	8	A000	0134	AUTO1440CJ1	11111	14.00 20.00	1	15	3,128	210 18 00000
4	8	A000	0134	AUTO1440C31	11111	14.00 20.00	1	10	3,128	210 18 00000
4	8	A000	0134	AUTO1650CJ1	11111	14.00 20.00	1	15	3,128	210 18 00000
4	8	A000	0134	AUTO1660CJ1	11111	14.00 20.00	1	15	3,128	210 18 00000
4	8	A000	0134	AUTO2995CJ1	11111	14.00 20.00	1	14	3,128	210 18 00000
4	8	A000	0134	AUTO1100CJ1	11111	14.00 20.30	1	2	3,128	210 18 00000
4	8	A000	0134	AUTO1110CJ1	11111	14.00 20.30	1	2	3,128	210 18 00000
4	8	A000	0134	AUTO1120CJ1	11111	14.00 20.30	1	2	3,128	210 18 00000
4	8	A000	0134	AUTO1130CJ1	11111	14.00 20.30	1	2	3,128	210 18 00000
4	8	A000	0134	AUTO1610CJ1	11111	14.00 20.30	1	2	3,128	210 18 00000
4	8	A000	0134	AUTO1620CJ1	11111	14.00 20.30	1	2	3,128	210 18 00000
4	8	A000	0134	AUTO1630CJ2	11111	14.00 20.30	1	2	3,128	210 18 00000
4	8	A000	0134	AUTO1640CJ2	11111	14.00 20.30	1	2	3,128	210 18 00000
	A000	0135	WELD2110C03	11111	7.30 9.30		1	2,990	210 24 00000	
4	A000	0135	WELD1210C03	11111	7.30 14.00	1	3	2,990	210 24 00000	
4	A000	0135	WELD1410C03	11111	7.30 14.00	1	3	2,990	210 24 00000	
	A000	0135	WELD2110C01	11111	7.50 9.50	1	6	2,990	210 24 00000	
	A000	0135	WELD1130C01	11111	8.04 9.40	1	4	2,990	210 24 00000	
	A000	0135	WELD2310C01	11111	8.30 10.30	1	5	2,990	210 24 00000	
	A000	0135	WELD1420C01	11111	8.35 10.35	1	1	2,990	210 24 00000	
	A000	0135	WELD2210C01	11111	8.45 10.20	1	1	2,990	210 24 00000	
	A000	0135	WELD1210C01	11111	9.31 10.05	1	3	2,990	210 24 00000	
	A000	0135	WELD1410C01	11111	10.35 12.35		5	2,990	210 24 00000	
	A000	0135	WELD2220C01	11111	11.05 13.20	1	1	2,990	210 24 00000	
	A000	0135	WELD2221C01	11111	11.10 13.25	1	1	2,990	210 24 00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 11/22/2016 12:51:41
 PAGE NUM 2

L.T.C.-LAFOURCHE
 BRANCH
 PARISH
 RELATION LAFOURCHE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	A000	0135	WELD2222C01	11111	11.20 13.35	1	1	2,990	210 24 00000
	A000	0135	WELD1510C03	11111	11.45 14.00	1	1	2,990	210 24 00000
	A000	0135	WELD1120C02	11111	16.00 17.35		1	2,990	210 24 00000
	A000	0136	WELD1110C02	11111	15.05 16.05		1	3,025	210 16 00000
	A000	0136	WELD1210C02	11111	15.10 16.45	1	1	3,025	210 16 00000
	A000	0136	WELD1410C02	11111	15.20 17.20	1	1	3,025	210 16 00000
	A000	0136	WELD1412C02	11111	15.25 17.00	1	1	3,025	210 16 00000
	A000	0136	WELD1130C02	11111	16.10 17.10	1	1	3,025	210 16 00000
	A000	0136	WELD1510C02	11111	16.25 18.40	1	1	3,025	210 16 00000
	A100	SC04	OILG1303E01	1	9.30 11.55		1	1,288	110 30 00000
	A100	SC04	OILG2113E01	1	9.30 11.55		3	1,288	110 30 00000
	A100	SC04	OILG2123E01	1	9.30 11.55		1	1,288	110 30 00000
	A100	SC04	OILG2413E01	1	12.00 15.00		2	1,288	110 30 00000
	A100	SC04	OILG2304E01	1	12.00 15.00		2	1,288	110 30 00000
	A100	SC04	OILG1313E01	1	12.00 15.00		1	1,288	110 30 00000
	A100	SC04	OILG2303E01	1	13.30 15.00		1	1,288	110 30 00000
	A100	SC15	SPCH1015E01	1 1	12.45 14.20		5	1,833	210 16 00000
4	A100	SC16	ORNT1000E05	11111	7.30 7.45		9	480	110 12 00000
	A100	SC16	DPET1240E05	11111	7.30 8.45	1	3	480	110 12 00000
8	A100	SC16	DPET1120E05	11111	7.30 8.55	1	9	480	110 12 00000
8	A100	SC16	DPET1140E05	11111	7.30 8.55	1	1	480	110 12 00000
8	A100	SC16	DPET1210E05	11111	7.30 9.10	1	4	480	110 12 00000
8	A100	SC16	DPET1141E05	11111	8.56 10.20	1	1	480	110 12 00000
8	A100	SC16	DPET1130E05	11111	8.56 10.35	1	9	480	110 12 00000
4	A100	SC16	ORNT1000E06	11111	11.15 11.30		7	480	110 12 00000
	A100	SC16	DPET1120E06	11111	11.15 12.40	1	7	480	110 12 00000
8	A100	SC16	DPET1130E06	11111	11.41 13.20	1	7	480	110 12 00000
	A100	OSC7	KYBD1200E01	1 1	7.45 10.20		5	540	210 24 00000
4	N000	N0200	ELEC1220C02	11111	7.30 14.00		1	726	240 20 00000
4	N000	N0200	ELEC1330C02	11111	7.30 14.00	1	1	726	240 20 00000
4	N000	N0200	ELEC1420C02	11111	7.30 14.00	1	1	726	240 20 00000
4	N000	N0200	ELEC1430C02	11111	7.30 14.00	1	1	726	240 20 00000
4	N000	N0200	ELEC1311C01	1 1 1	7.30 14.30	1	3	726	240 20 00000
	N000	N0200	ELEC1220C01	1 1 1	10.01 12.45	1	6	726	240 20 00000
	N000	N0200	ELEC2520C01	1111	11.00 12.30	1	6	726	240 20 00000
	N000	N0200	ELEC1440C01	11111	11.00 13.00	1	5	726	240 20 00000
8	N000	N0200	ELEC2540C01	11111	11.01 12.35	1	7	726	240 20 00000
8	N000	N0200	ELEC2720C01	1111	11.01 13.00	1	7	726	240 20 00000
8	N000	N0200	ELEC1420C01	1111	12.30 14.20	1	5	726	240 20 00000
	N000	N0300	ELEC2460C01	111	7.30 8.30		7	652	110 20 00000
	N000	N0300	ELEC1120C01	11111	7.30 9.55	1	10	652	110 20 00000
4	N000	N0300	ELEC1230C02	1111	7.30 14.00	1	1	652	110 20 00000
8	N000	N0300	ELEC1210C01	11111	10.00 12.25	1	13	652	110 20 00000
8	N000	N0300	ELEC1230C01	1 1 1	12.01 14.05	1	7	652	110 20 00000
	N000	N0400	ELEC1330C01	1 1 1	7.30 10.00		1	1,218	210 22 00000
	N000	N0400	ELEC1430C01	1111	11.59 13.30		5	1,218	210 22 00000
	N000	N0400	ELEC2543C01	11111	12.00 13.35	1	1	1,218	210 22 00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	30
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	29
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		59
TOTAL NUMBER OF RECORDS READ		98
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		98
NUMBER OF JOINT-CLASS RECORDS		65
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/22/2016 12:51:41
 PAGE NUM 1

L.T.C.-LAFOURCHE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			17
TOTAL NUMBER OF STATIONS (CAPACITY)			354
WEEKLY STUDENT CONTACT HOURS	1,274		1,274
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,530	850	2,380
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	457		457
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	31,860	17,700	49,560
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,108		8,108
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,548		2,548
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	29.9	.0	19.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	8.0	.0	5.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	31.4	.0	31.4
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			17
TOTAL NUMBER OF STATIONS (CAPACITY)			354
WEEKLY STUDENT CONTACT HOURS	1,274		1,274
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,530	850	2,380
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	457		457
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	31,860	17,700	49,560
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,108		8,108
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,548		2,548
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	29.9	.0	19.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	8.0	.0	5.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	31.4	.0	31.4

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/22/2016 12:51:41
 PAGE NUM 2

L.T.C.-LAFOURCHE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			206
WEEKLY STUDENT CONTACT HOURS	5,650		5,650
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1,540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,756		1,756
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	18,540	10,300	28,840
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	34,058		34,058
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,300		11,300
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	177.4	.0	114.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	60.9	.0	39.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	33.2	.0	33.2
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			206
WEEKLY STUDENT CONTACT HOURS	5,650		5,650
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1,540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,756		1,756
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	18,540	10,300	28,840
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	34,058		34,058
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,300		11,300
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	177.4	.0	114.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	60.9	.0	39.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	33.2	.0	33.2

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY