

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2016  
 RUN DATE 10/17/2016 17:01:14  
 PAGE NUM 1

L.T.C.-LAMAR SALTER  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	000A	0025	OPET1111C01	1111	7.25 8.25		2	7,380	210 40 00000
	000A	0025	OPET1161C01	1111	7.25 8.25	1	3	7,380	210 40 00000
	000A	0025	OPET1311C01	1111	7.25 8.40	1	2	7,380	210 40 00000
	000A	0025	OPET2121C01	1111	7.25 8.40	1	2	7,380	210 40 00000
	000A	0025	OPET1121C01	1111	8.30 9.30	1	2	7,380	210 40 00000
	000A	0025	OPET1221C01	1111	8.30 10.15	1	3	7,380	210 40 00000
	000A	0025	OPET1321C01	1111	8.45 10.00	1	2	7,380	210 40 00000
	000A	0025	OPET2131C01	1111	8.45 10.00	1	2	7,380	210 40 00000
	000A	0025	OPET1131C01	1111	9.35 10.45	1	2	7,380	210 40 00000
	000A	0025	OPET1331C01	1111	10.05 11.20	1	2	7,380	210 40 00000
	000A	0025	OPET1231C01	1111	10.20 11.25	1	5	7,380	210 40 00000
	000A	0025	OPET1141C01	1111	11.30 14.00		5	7,380	210 40 00000
	000A	0025	OPET1241C01	1111	12.00 13.15	1	2	7,380	210 40 00000
	000A	0025	OPET1341C01	1111	12.00 14.00	1	2	7,380	210 40 00000
	000A	0025	OPET2141C01	1111	14.05 15.20		2	7,380	210 40 00000
	000A	0025	OPET1151C01	1111	14.15 16.00	1	5	7,380	210 40 00000
	000A	0025	OPET1261C01	1111	14.25 15.40	1	2	7,380	210 40 00000
	000A	0025	OPET2993C01	1111	16.05 17.00		3	7,380	210 40 00000
	000A	0029	AUTO1600C01	1 1 1	7.30 8.20		8	323	110 20 00000
	000A	0029	AUTO1630C02	1 1 1	7.30 8.20	1	7	323	110 20 00000
4	000A	0029	AUTO1610C01	1 1 1	8.25 8.50		8	323	110 20 00000
4	000A	0029	AUTO1640C02	1 1 1	8.25 8.50	1	7	323	110 20 00000
4	000A	0029	AUTO1650C02	1 1 1	8.55 9.20		7	323	110 20 00000
	000A	0029	AUTO1620C01	1 1 1	8.55 9.45	1	8	323	110 20 00000
4	000A	0029	AUTO1660C02	1 1 1	9.25 9.50	1	7	323	110 20 00000
	000A	0029	AUTO1630C01	1 1 1	9.50 10.40		8	323	110 20 00000
	000A	0029	AUTO1700C02	1 1 1	9.55 10.20	1	7	323	110 20 00000
4	000A	0029	AUTO1710C02	1 1 1	10.25 10.50		7	323	110 20 00000
4	000A	0029	AUTO1640C01	1 1 1	10.45 11.10	1	8	323	110 20 00000
	000A	0029	AUTO1600C01	1 1	11.00 11.50		8	323	110 20 00000
	000A	0029	AUTO1630C02	1 1	11.00 11.50	1	7	323	110 20 00000
4	000A	0029	AUTO1610C01	1 1	11.55 12.20		8	323	110 20 00000
4	000A	0029	AUTO1640C02	1 1	11.55 12.20	1	7	323	110 20 00000
4	000A	0029	AUTO1650C01	1 1 1	12.00 12.25		8	323	110 20 00000
4	000A	0029	AUTO1720C02	1 1 1	12.00 12.25	1	7	323	110 20 00000
4	000A	0029	AUTO1650C02	1 1	12.25 12.50		7	323	110 20 00000
	000A	0029	AUTO1620C01	1 1	12.25 13.15	1	8	323	110 20 00000
4	000A	0029	AUTO1660C01	1 1 1	12.30 12.55		8	323	110 20 00000
4	000A	0029	AUTO1730C01	1 1 1	12.30 12.55	1	7	323	110 20 00000
4	000A	0029	AUTO1660C02	1 1	12.55 13.20		7	323	110 20 00000
4	000A	0029	AUTO1700C01	1 1 1	13.00 13.25		8	323	110 20 00000
4	000A	0029	AUTO1740C01	1 1 1	13.00 13.25	1	7	323	110 20 00000
	000A	0029	AUTO1630C01	1 1	13.20 14.10		8	323	110 20 00000
4	000A	0029	AUTO1700C02	1 1	13.25 13.50	1	7	323	110 20 00000
4	000A	0029	AUTO1710C01	1 1 1	13.30 13.55		8	323	110 20 00000
	000A	0029	AUTO1800C01	1 1 1	13.30 14.40	1	7	323	110 20 00000
	000A	0029	AUTO1710C02	1 1	13.55 14.20		7	323	110 20 00000
4	000A	0029	AUTO1720C01	1 1 1	14.00 14.25		8	323	110 20 00000
4	000A	0029	AUTO1640C01	1 1	14.15 14.40		8	323	110 20 00000
4	000A	0029	AUTO1720C02	1 1	14.25 14.50	1	7	323	110 20 00000
4	000A	0029	AUTO1650C01	1 1	14.45 15.10	1	8	323	110 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2016  
 RUN DATE 10/17/2016 17:01:14  
 PAGE NUM 2

L.T.C.-LAMAR SALTER  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
4	000A	0029	AUTO1730C01	1 1	14.55 15.20	1	7	323	110 20 00000	
4	8	000A	0029	AUTO1660C01	1 1	15.15 15.40	1	8	323	110 20 00000
4	8	000A	0029	AUTO1740C01	1 1	15.25 15.50	1	7	323	110 20 00000
4	8	000A	0029	AUTO1700C01	1 1	15.45 16.10	1	8	323	110 20 00000
	8	000A	0029	AUTO1800C01	1 1	15.55 17.10	1	7	323	110 20 00000
4	8	000A	0029	AUTO1710C01	1 1	16.15 16.40	1	8	323	110 20 00000
4		000A	0029	AUTO1720C01	1 1	16.45 17.10		8	323	110 20 00000
		000A	0029	AUTO1600C02	1 1 1	18.00 20.00	3	323	110 20 00000	
		000A	0030	WELD1510C03	11111	7.45 9.25	1	2,520	210 20 00000	
		000A	0030	WELD1110C01	11111	8.00 8.50	1	8	2,520	210 20 00000
		000A	0030	WELD1412C01	11111	8.00 9.20	1	1	2,520	210 20 00000
		000A	0030	WELD1420C01	11111	8.00 9.40	1	2	2,520	210 20 00000
		000A	0030	WELD1120C01	11111	9.00 10.00	1	8	2,520	210 20 00000
		000A	0030	WELD1411C01	11111	9.30 10.50	1	1	2,520	210 20 00000
		000A	0030	WELD2230C01	11111	9.30 10.50	1	1	2,520	210 20 00000
		000A	0030	WELD1510C01	11111	9.45 11.25	1	2	2,520	210 20 00000
8		000A	0030	WELD1130C01	11111	10.05 10.55	1	7	2,520	210 20 00000
		000A	0030	WELD1140C01	11111	11.00 11.30		6	2,520	210 20 00000
		000A	0030	WELD2110C01	11111	11.00 12.20	1	1	2,520	210 20 00000
		000A	0030	WELD2210C01	11111	11.00 12.20	1	1	2,520	210 20 00000
		000A	0030	WELD2311C02	11111	11.30 12.25	1	1	2,520	210 20 00000
		000A	0030	WELD1210C01	11111	12.00 12.50	1	6	2,520	210 20 00000
		000A	0030	WELD1511C01	11111	12.00 13.40	1	1	2,520	210 20 00000
		000A	0030	WELD1511C02	11111	12.25 14.05	1	1	2,520	210 20 00000
		000A	0030	WELD2111C01	11111	12.30 13.50	1	1	2,520	210 20 00000
		000A	0030	WELD2310C01	11111	12.30 13.50	1	1	2,520	210 20 00000
		000A	0030	WELD1310C01	11111	13.00 13.30	1	5	2,520	210 20 00000
		000A	0030	WELD2311C02	11111	13.55 14.30		1	2,520	210 20 00000
		000A	0030	WELD1410C01	11111	14.00 14.50	1	6	2,520	210 20 00000
		000A	0037	CARP1110C01	11111	7.30 8.25		5	323	110 20 00000
		000A	0037	CARP1150C01	11111	7.30 9.25	1	3	323	110 20 00000
		000A	0037	CARP2110C01	11111	9.30 10.25		2	323	110 20 00000
		000A	0037	CARP1130C01	11111	9.30 11.10	1	4	323	110 20 00000
		000A	0037	CARP2210C01	11111	9.30 11.45	1	2	323	110 20 00000
		000A	0037	CARP2230C01	11111	10.00 11.30	1	1	323	110 20 00000
		000A	0040	CARP2131C01	11111	7.30 9.25		1	2,520	210 40 00000
		000A	0040	CARP2220C01	11111	7.30 9.55	1	2	2,520	210 40 00000
		000A	0040	CARP1120C01	11111	8.30 9.25	1	8	2,520	210 40 00000
		000A	0040	CARP1150C02	11111	9.30 11.30		1	2,520	210 40 00000
		000A	0040	CARP2991C01	11111	10.00 10.55	1	2	2,520	210 40 00000
		000A	0040	CARP2320C02	11111	10.00 12.00	1	2	2,520	210 40 00000
		000A	0040	CARP2120C01	11111	10.30 12.25	1	2	2,520	210 40 00000
		000A	0040	CARP1140C01	11111	11.15 12.10	1	5	2,520	210 40 00000
		000A	0040	CARP2620C01	11111	12.15 14.25		6	2,520	210 40 00000
		000A	0040	CARP1130C02	11111	12.30 14.10	1	3	2,520	210 40 00000
		000A	0040	CARP2310C01	11111	12.30 15.00	1	3	2,520	210 40 00000
		000A	0040	CARP1140C02	11111	13.00 14.00	1	1	2,520	210 40 00000
		000A	0201	ACCT1100C01	1 1 1	8.00 8.50		15	575	110 18 00000
4		000A	0228	HNUR2123C01	11	6.30 14.30		29	630	210 20 00000
4	8	000A	0228	HNUR2143C01	1	6.30 14.30	1	29	630	210 20 00000
	8	000A	0228	HNUR2123C01	1111	8.00 11.00	1	29	630	210 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2016  
 RUN DATE 10/17/2016 17:01:14  
 PAGE NUM 3

L.T.C.-LAMAR SALTER  
 BRANCH  
 PARISH  
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
89	000A	0228	HNUR2123C01	1 1	8.00 11.00		29	630	210 20 00000	
8	000A	0228	HNUR2183C01	1	9.00 11.00	1	29	630	210 20 00000	
	000A	0228	HNUR2183C01	11	11.45 14.45		29	630	210 20 00000	
89	000A	0228	HNUR2183C01	1	11.45 14.45		29	630	210 20 00000	
	000A	0228	HNUR2143C01	11	11.45 14.45		29	630	210 20 00000	
89	000A	0228	HNUR2143C01	1	11.45 14.45		29	630	210 20 00000	
	000A	0306	HNUR1302C01	1 1	8.00 11.00		35	1,509	110 40 00000	
	000A	0306	HNUR1211C01	1 1	8.00 11.00		35	1,509	110 40 00000	
4	8	000A	0306	HNUR1311C01	1	8.00 14.45	1	34	1,509	110 40 00000
	000A	0306	HNUR1311C01	1 1	11.45 14.45		34	1,509	110 40 00000	
	8	000A	0306	HNUR1312C01	1 1	11.45 14.45	1	33	1,509	110 40 00000
	000A	0306	ORNT1000C01	1	11.45 14.45		43	1,509	110 40 00000	
	000A	0306	HNUR1211C01	1	11.45 14.45		35	1,509	110 40 00000	
	000C	0001	PIPE1000C01	1111	6.30 7.45		8	1,398	210 40 00000	
	000C	0001	PIPE1100C01	1111	7.50 9.05		8	1,398	210 40 00000	
	000C	0001	PIPE1210C01	1111	9.10 10.00		8	1,398	210 40 00000	
	000C	0001	PIPE1220C01	1111	10.05 11.20		8	1,398	210 40 00000	
	000C	0001	PIPE1230C01	1111	11.50 12.20		8	1,398	210 40 00000	
	000C	0001	PIPE1310C01	1111	12.25 13.15		8	1,398	210 40 00000	
	000C	0001	PIPE1320C01	1111	13.20 14.50		8	1,398	210 40 00000	
	000C	0001	PIPE1410C01	1111	14.55 15.40		8	1,398	210 40 00000	
	000C	0001	PIPE1420C01	1111	15.45 16.35		8	1,398	210 40 00000	
	000C	0001	PIPE1430C01	1111	16.45 19.00		8	1,398	210 40 00000	
	000C	0010	HACR2510C01	1111	7.30 11.30		5	768	240 20 00000	
4	000C	0010	HACR2540C01	1111	7.30 14.30	1	5	768	240 20 00000	
4	000C	0010	HACR2550C01	1111	7.30 14.30	1	5	768	240 20 00000	
4	000C	0010	HACR2560C01	1111	7.30 14.30	1	5	768	240 20 00000	
	000C	0010	HACR2520C01	1111	12.00 14.30	1	5	768	240 20 00000	

D E S C R I P T I O N   A N D   S U M M A R Y   O F   E R R O R S   &   W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	36
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	14
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	3
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		53
TOTAL NUMBER OF RECORDS READ		130
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		127
NUMBER OF JOINT-CLASS RECORDS		76
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/17/2016 17:01:14  
 PAGE NUM 1

L.T.C.-LAMAR SALTER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>*CLASSROOM FACILITIES</b>			
TOTAL NUMBER OF ROOMS			15
TOTAL NUMBER OF STATIONS (CAPACITY)			340
WEEKLY STUDENT CONTACT HOURS	1,964	18	1,982
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,350	750	2,100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	310	12	322
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	30,600	17,000	47,600
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,668	240	7,908
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,928	36	3,964
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	23.0	1.6	15.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	12.8	.2	8.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	51.2	15.0	50.1
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>CLASSROOM</b>			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			258
WEEKLY STUDENT CONTACT HOURS	1,964	18	1,982
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1,540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	310	12	322
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	23,220	12,900	36,120
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,668	240	7,908
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,928	36	3,964
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	31.3	2.2	20.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	16.9	.3	11.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	51.2	15.0	50.1

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/17/2016 17:01:14  
 PAGE NUM 2

L.T.C.-LAMAR SALTER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>*LABORATORY FACILITIES</b>			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			313
WEEKLY STUDENT CONTACT HOURS	2,812		2,812
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1,540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	920		920
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	28,170	15,650	43,820
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	29,180		29,180
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,625		5,625
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	92.9	.0	59.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	20.0	.0	12.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	19.3	.0	19.3
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>CLASS LABORATORY</b>			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			313
WEEKLY STUDENT CONTACT HOURS	2,812		2,812
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1,540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	920		920
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	28,170	15,650	43,820
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	29,180		29,180
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,625		5,625
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	92.9	.0	59.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	20.0	.0	12.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	19.3	.0	19.3

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY