

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	OMAA	0Z01	ELEC1131A01	1111	8.00 9.15		1	783	210 17 00000
	OMAA	0Z01	ELEC1330A01	1111	8.00 10.00	1	5	783	210 17 00000
	OMAA	0Z01	ELEC1120A01	1111	8.00 12.00	1	7	783	210 17 00000
	OMAA	0Z01	ELEC1120A02	1111	8.00 12.00	1	2	783	210 17 00000
	OMAA	0Z01	ELEC1420A01	1111	10.05 11.10	1	5	783	210 17 00000
	OMAA	0Z01	ELEC1440A01	1111	12.00 14.00		5	783	210 17 00000
	OMAA	0Z01	ELEC1311A01	1111	12.00 14.29	1	1	783	210 17 00000
	OMAA	0Z01	ELEC2630A01	1111	14.30 17.00		1	783	210 17 00000
4	OMAA	0Z02	WELD1111A01	1111	8.00 8.20		6	694	210 13 00000
	OMAA	0Z02	WELD1141A01	1111	8.21 9.10		7	694	210 13 00000
	OMAA	0Z02	WELD1122A01	1111	11.35 12.11		1	694	210 13 00000
	OMAA	0Z02	ELEC1210A01	1111	12.30 17.00		8	694	210 13 00000
	OMAA	0Z02	ELEC1210A02	1111	12.30 17.00	1	2	694	210 13 00000
	OMAA	0Z02	ELEC1410A01	1111	14.30 17.00	1	5	694	210 13 00000
	OMAA	0Z03	ELEC1450A01	1111	9.30 10.50		1	877	210 5 00000
	OMAA	0Z03	ELEC2620A01	1111	12.00 14.00		1	877	210 5 00000
	OMAA	0Z03	ELEC1430A01	1111	15.00 17.00		1	877	210 5 00000
	OMAA	0111	WELD2991A01		12.00 15.30	1	5	699	680 30 00000
	OMAA	0111	ORNT1000A01		12.05 15.30	1	5	699	680 30 00000
	OMAA	0111	HCOR2991A01		15.31 17.00		12	699	680 30 00000
	OMAA	0111	HCOR2991A02		15.31 17.00	1	1	699	680 30 00000
	OMAA	0113	HNUR2128A01	11111	8.00 10.00		15	494	110 25 00000
	OMAA	0113	HNUR1460A01	1 1 1	10.01 12.00		16	494	110 25 00000
	OMAA	0114	HNUR1100A01	11111	8.00 10.00		27	498	110 36 00000
	OMAA	0114	HNUR1000A01	11111	10.01 12.00		27	498	110 36 00000
	OMAA	0114	HNUR1363A01	1111	12.30 14.30		27	498	110 36 00000
	OMAA	0115	HEKG1113A02	11111	8.00 12.00		1	500	110 22 00000
	OMAA	0115	HEKG1113A01	1111	8.00 12.00	1	17	500	110 22 00000
8	OMAA	0115	HNUR1211A01	111	8.00 12.00	1	16	500	110 22 00000
	OMAA	0115	BOTH1120A01	1 1	12.00 14.30		5	500	110 22 00000
	OMAA	0115	HCOR1200A01	1 1	12.30 14.15	1	18	500	110 22 00000
	OMAA	0115	HCOR1200A02	1 1	12.30 15.15	1	1	500	110 22 00000
	OMAA	0116	ACCT1100A01	1 1	9.25 11.30		8	622	110 16 00000
	OMAA	0116	ACCT1100A01		9.30 10.50	1	8	622	110 16 00000
	OMAA	0116	ACCT1250A01		9.30 10.50	1	3	622	110 16 00000
	OMAA	0116	ACCT1250A01	1 1	11.40 12.55		3	622	110 16 00000
	OMAA	0117	JOBS2450A01	1 1	8.00 8.59		7	830	140 33 00000
	OMAA	0117	CSRV1000A01	1 1	8.00 9.15	1	9	830	140 33 00000
	OMAA	0117	BOTH1230A01	1 1	8.00 9.15		6	830	140 33 00000
	OMAA	0117	CSRV1000A02	1 1	8.00 9.20		3	830	140 33 00000
	OMAA	0117	BOTH1240A01	1 1	9.25 10.40		2	830	140 33 00000
	OMAA	0117	BOTH2110A01	1 1	10.50 12.05		3	830	140 33 00000
	OMAA	0117	OSYS1250A01	1 1	13.00 14.20		1	830	140 33 00000
	OMAA	0121	CPTR1002A05	1 1	7.45 9.20		4	776	140 25 00000
	OMAA	0121	OSYS1100A01	1 1	7.50 9.15		4	776	140 25 00000
	OMAA	0121	CPTR1002A03	1 1	8.00 9.15		5	776	140 25 00000
	OMAA	0121	KYBD1200A03	1111	8.00 9.20	1	1	776	140 25 00000
	OMAA	0121	CPTR1320A01		8.00 9.20	1	2	776	140 25 00000
	OMAA	0121	CPTR1320A02		8.00 9.20	1	1	776	140 25 00000
	OMAA	0121	INTE1100A01		8.00 9.50	1	8	776	140 25 00000
	OMAA	0121	INTE1110A01		8.00 9.50	1	8	776	140 25 00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	OMAA	0121	CPTR1002A02	1	8.00 12.00	1	4	776	140 25 00000
	OMAA	0121	CPTR1002A02	1 1	9.00 10.30		4	776	140 25 00000
	OMAA	0121	INTE1100A01	1111	9.00 11.30	1	8	776	140 25 00000
	OMAA	0121	CPTR1320A01	1111	9.25 10.28	1	2	776	140 25 00000
	OMAA	0121	KYBD1010A01	11111	9.25 10.40	1	5	776	140 25 00000
	OMAA	0121	OSYS1100A02	1 1	9.25 10.40	1	4	776	140 25 00000
	OMAA	0121	KYBD1200A01	1111	9.25 11.30	1	5	776	140 25 00000
	OMAA	0121	KYBD1010A03	1111	9.25 12.00	1	3	776	140 25 00000
8	OMAA	0121	INTE1110A01	1111	9.30 11.30	1	8	776	140 25 00000
	OMAA	0121	INTE1300A01	1	10.00 11.50		9	776	140 25 00000
	OMAA	0121	KYBD1200A03	1	11.00 12.20	1	1	776	140 25 00000
	OMAA	0121	BOTH1210A01	1 1	11.25 12.40		4	776	140 25 00000
	OMAA	0121	INTE1300A01	1111	12.00 13.15	1	9	776	140 25 00000
	OMAA	0121	INTE2261A01	1	12.00 13.50		6	776	140 25 00000
	OMAA	0121	KYBD1200A02	1111	12.00 14.00		9	776	140 25 00000
	OMAA	0121	CPTR1320A02	1 1	12.00 14.05	1	1	776	140 25 00000
	OMAA	0121	KYBD1010A02	1 1	12.45 15.30		1	776	140 25 00000
	OMAA	0121	KYBD1200A02	1	13.00 14.20		9	776	140 25 00000
	OMAA	0121	INTE2261A01	1111	13.25 14.40		6	776	140 25 00000
	OMAA	0121	INTE1210A01	1	13.55 15.30		2	776	140 25 00000
	OMAA	0121	INTE1210A01	1111	14.45 15.30		2	776	140 25 00000
	OMAA	0121	BUSM1050A01	1111	14.45 15.35	1	5	776	140 25 00000
4	OMAA	0127	HCOR1212A01	11111	6.00 12.00		16	3,196	210 60 00000
4	9	OMAA	0127	HCOR1212A01	11111		16	3,196	210 60 00000
	OMAA	0127	HNUR1411A01	11111	10.01 12.00	1	27	3,196	210 60 00000
	9	OMAA	0127	HNUR1411A01	11111		27	3,196	210 60 00000
	OMAA	0127	HNUR2611A02	1111	12.30 14.30		28	3,196	210 60 00000
	9	OMAA	0127	HNUR2611A02	1111		28	3,196	210 60 00000
	OMAA	0127	HNUR2611A01	1 1 1	12.30 14.30	1	15	3,196	210 60 00000
	9	OMAA	0127	HNUR2611A01	1 1 1		15	3,196	210 60 00000
	OMAA	0133	WELD1141AL1	1111	8.00 9.00		13	2,520	210 22 00000
	OMAA	0133	WELD1420A01	1111	8.00 9.30	1	7	2,520	210 22 00000
	OMAA	0133	WELD2211A02	1111	8.00 9.40	1	2	2,520	210 22 00000
8	OMAA	0133	WELD1211AL1	1111	9.05 10.22	1	13	2,520	210 22 00000
8	OMAA	0133	WELD2311A01	1111	9.15 10.27	1	1	2,520	210 22 00000
8	OMAA	0133	WELD2110A01	1111	9.45 11.55	1	1	2,520	210 22 00000
8	OMAA	0133	WELD2100A01	1111	9.45 12.00	1	2	2,520	210 22 00000
8	OMAA	0133	WELD2210A01	1111	9.45 12.00	1	5	2,520	210 22 00000
8	OMAA	0133	WELD2111A01	1111	10.15 11.25	1	1	2,520	210 22 00000
8	OMAA	0133	WELD1512A01	1111	10.45 12.00	1	3	2,520	210 22 00000
	OMAA	0133	WELD2230A01	1111	12.05 14.00		4	2,520	210 22 00000
	OMAA	0133	WELD1411A01	1111	13.00 14.00	1	7	2,520	210 22 00000
	OMAA	0133	WELD1511A01	1111	13.00 15.00	1	5	2,520	210 22 00000
	OMAA	0133	WELD1421A01	1111	14.05 15.30	1	4	2,520	210 22 00000
	OMAA	0133	WELD2231A01	1111	14.30 15.30	1	3	2,520	210 22 00000
	OMAA	0133	WELD1510A01	1111	15.01 18.00	1	5	2,520	210 22 00000
8	OMAA	0133	WELD2312A01	1111	15.35 18.00	1	6	2,520	210 22 00000
	OMAA	0137	WELD1131A01	1111	9.15 10.05		6	176	110 15 00000
9	OMAA	0137	WELD1131A01	1111	9.15 10.05		6	176	110 15 00000
	OMAA	0137	WELD1211A01	1111	10.15 11.30		5	176	110 15 00000
9	OMAA	0137	WELD1211A01	1111	10.15 11.30		5	176	110 15 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2016  
 RUN DATE 10/18/2016 11:21:49  
 PAGE NUM 3

L.T.C.-MANSFIELD  
 BRANCH  
 PARISH  
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	OMAA 0137	WELD1413A01	1111	14.30 15.35		6	176	110 15	00000	
9	OMAA 0137	WELD1413A01	1111	14.30 15.35		6	176	110 15	00000	
	OMAB PN01	HNUR2522A01	1 1	10.01 12.00		15	750	140 25	00000	
	OMAB PN01	CPTR1002A04	1 1	12.10 13.40		1	750	140 25	00000	
	OMAB PN01	CPTR1002A01	1 1	12.45 14.15	1	11	750	140 25	00000	

D E S C R I P T I O N   A N D   S U M M A R Y   O F   E R R O R S   &   W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	3
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	10
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	7
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		20
TOTAL NUMBER OF RECORDS READ		107
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		100
NUMBER OF JOINT-CLASS RECORDS		49
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/18/2016 11:21:49  
 PAGE NUM 1

L.T.C.-MANSFIELD

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>*CLASSROOM FACILITIES</b>			
TOTAL NUMBER OF ROOMS			8
TOTAL NUMBER OF STATIONS (CAPACITY)			197
WEEKLY STUDENT CONTACT HOURS	2,593		2,593
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	720	400	1,120
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	603		603
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	17,730	9,850	27,580
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	15,115		15,115
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,187		5,187
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	83.8	.0	53.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	29.3	.0	18.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	34.3	.0	34.3
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>CLASSROOM</b>			
TOTAL NUMBER OF ROOMS			5
TOTAL NUMBER OF STATIONS (CAPACITY)			114
WEEKLY STUDENT CONTACT HOURS	1,744		1,744
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	450	250	700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	268		268
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	10,260	5,700	15,960
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,420		6,420
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,489		3,489
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	59.6	.0	38.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	34.0	.0	21.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	54.3	.0	54.3

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/18/2016 11:21:49  
 PAGE NUM 2

L.T.C.-MANSFIELD

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			83
WEEKLY STUDENT CONTACT HOURS	849		849
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	335		335
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	7,470	4,150	11,620
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,695		8,695
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,698		1,698
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	124.1	.0	79.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	22.7	.0	14.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	19.5	.0	19.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			5
TOTAL NUMBER OF STATIONS (CAPACITY)			117
WEEKLY STUDENT CONTACT HOURS	2,194		2,194
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	450	250	700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	672		672
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	10,530	5,850	16,380
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	16,332		16,332
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,388		4,388
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	149.3	.0	96.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	41.7	.0	26.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	26.9	.0	26.9

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/18/2016 11:21:49  
 PAGE NUM 3

L.T.C.-MANSFIELD

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			5
TOTAL NUMBER OF STATIONS (CAPACITY)			117
WEEKLY STUDENT CONTACT HOURS	2,194		2,194
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	450	250	700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	672		672
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	10,530	5,850	16,380
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	16,332		16,332
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,388		4,388
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	149.3	.0	96.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	41.7	.0	26.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	26.9	.0	26.9

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY