

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 10/24/2016 11:05:21
 PAGE NUM 1

L.T.C.-NATCHITOCHE
 BRANCH
 PARISH
 RELATION
 NATCHITOCHE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	MB0A	0115	COSM1411B02	1	8.00 9.00		9	210 50	00000
	MB0A	0115	COSM1311B02	1 1 1	9.03 11.03		1	210 50	00000
	MB0A	0115	COSM1420B01	1 1	9.33 11.33		21	210 50	00000
	MB0A	0115	COSM1420B02	1 1	9.33 11.33	1	9	210 50	00000
	MB0A	0115	COSM2520B01	1 1 1	10.05 12.05		1	210 50	00000
	MB0A	0115	COSM1430B01	1 1 1	11.05 14.45	1	21	210 50	00000
	MB0A	0115	COSM1430B03	1 1 1	11.05 14.45	1	9	210 50	00000
	MB0A	0115	COSM1430B04	1	12.33 14.45		1	210 50	00000
	MB0A	0115	COSM2510B02	1 1	13.30 14.45	1	9	210 50	00000
	MB0A	0115	COSM2510B01	1 1	13.33 14.45	1	21	210 50	00000
	MB0A	0118	ORNT1000B05	1 1 1	8.30 9.00		21	110 60	00000
	MB0A	0118	SPPR2991B01	1 1 1	8.30 11.30	1	1	110 60	00000
	MB0A	0119	ORNT1000B04	1	8.00 9.00		10	110 45	00000
	MB0A	0119	IMFG1120B01	1 1	8.00 10.00		13	110 45	00000
	MB0A	0119	IMFG1100B01	1 1 1	9.03 11.03		12	110 45	00000
	MB0A	0119	IMFG1300B01	1 1	10.03 12.03		17	110 45	00000
	MB0A	0119	IMFG1120B01	1 1 1	11.05 13.05		13	110 45	00000
	MB0A	0119	IMFG1200B01	1 1	12.05 15.05		17	110 45	00000
	MB0A	0119	IMFG1300B01	1 1 1	13.10 14.10		17	110 45	00000
	MB0A	0119	IMFG1200B01	1 1 1	14.15 15.15		17	110 45	00000
	MB0A	0129	CDYC1341B01	1 1	16.00 18.00		2	110 20	00000
	MB0A	0129	CDYC2211B01	1 1	18.03 20.03		3	110 20	00000
	MB0A	0130	IMFG1320B01	1 1 1	8.00 11.00		3	410 15	00000
	MB0A	0130	IMFG1210B01	1	12.00 15.00		7	410 15	00000
	MB0A	0133	COSM1411B01	1	8.00 9.00		21	140 25	00000
	MB0A	0133	COSM1420B01	1 1	8.00 9.30		21	140 25	00000
	MB0A	0133	COSM1420B02	1 1	8.00 9.30	1	9	140 25	00000
	MB0A	0133	COSM1430B01	1 1 1	9.03 11.03		21	140 25	00000
	MB0A	0133	CPTR1000B04	1 1	10.35 13.00		1	140 25	00000
	MB0A	0133	COSM2510B01	1 1	12.00 13.30	1	21	140 25	00000
	MB0A	0134	COSM1121B01	1	8.00 9.00		1	110 16	00000
	MB0A	0134	ORNT1000B07	1	8.00 9.30		1	110 16	00000
	MB0A	0134	COSM2520B01	1 1 1	9.03 10.03		1	110 16	00000
	MB0A	0134	COSM1430B03	1 1 1	9.03 11.03	1	9	110 16	00000
	MB0A	0134	CPTR1000B04	1 1	9.33 10.33		1	110 16	00000
	MB0A	0134	COSM1430B04	1	12.00 12.30		1	110 16	00000
	MB0A	0134	COSM2510B02	1 1	12.00 13.30	1	9	110 16	00000
	MB0A	0134	JOBS2450B03	1 1 1	12.15 14.30		1	110 16	00000
4	MB0A	0136	HNUR2128B01	11	8.00 15.00		20	110 40	00000
4	MB0A	0136	HNUR2138B01	11	8.00 15.00	1	20	110 40	00000
4	MB0A	0144	CPTR1320B01	1 1	8.50 9.15		16	140 60	00000
	MB0A	0144	KYBD1200B01	1 1 1	9.30 10.15		18	140 60	00000
	MB0A	0144	ACCT1100B01	1 1	10.12 11.20		9	140 60	00000
4	MB0A	0144	INTE1300B01	1 1 1	10.20 10.45		3	140 60	00000
	MB0A	0144	ENGL1015B01	1 1	15.30 16.45		10	140 60	00000
	MB0A	0145	DVMA0090B01	11	12.00 12.30		4	110 30	00000
	MB0A	0145	DVRE0090B01	1	12.00 13.00		2	110 30	00000
	MB0A	0145	DVRE0091B01	1	12.00 13.00	1	1	110 30	00000
	MB0A	0145	DVMA0090B01	11	12.33 13.15		4	110 30	00000
	MB0A	0145	DVRE0090B01	1	13.03 14.03		2	110 30	00000
	MB0A	0145	DVRE0091B01	1	13.03 14.03	1	1	110 30	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 10/24/2016 11:05:21
 PAGE NUM 2

L.T.C.-NATCHITOCHE
 BRANCH
 PARISH
 RELATION
 NATCHITOCHE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	MB0A	0145	DVEN0091B01	1	14.10 15.10		1	888	110 30 00000
	MB0A	0145	DVEN0091B01	1	15.13 16.03		1	888	110 30 00000
	MB0A	0146	CPTR1320B01	1 1	8.00 8.49		16	1,000	140 30 00000
	MB0A	0146	OSYS2530B01	1 1 1	8.00 8.55		6	1,000	140 30 00000
4	MB0A	0146	ACCT1500B01	1 1 1	9.00 9.25		7	1,000	140 30 00000
	MB0A	0146	ACCT1100B01	1 1	9.20 10.10		9	1,000	140 30 00000
	MB0A	0146	ACCT1500B01	1 1 1	9.27 10.15		7	1,000	140 30 00000
	MB0A	0146	INTE1300B01	1 1 1	10.47 12.35		3	1,000	140 30 00000
	MB0A	0146	ACCT1200B01	1 1	11.25 12.40		4	1,000	140 30 00000
	MB0A	0146	BADM1050B01	1 1 1	12.40 13.35		9	1,000	140 30 00000
	MB0A	0146	ACCT1200B01	1 1	12.41 13.30		4	1,000	140 30 00000
	MB0A	0146	ACCT1250B01	1 1	13.35 14.50		5	1,000	140 30 00000
	MB0A	0146	CPTR1002B01	1 1 1	13.40 15.30		19	1,000	140 30 00000
	MB0A	0146	CPTR1002B02	1 1 1	13.40 15.30	1	13	1,000	140 30 00000
	MB0A	0146	SPPR2995B02	1 1 1	14.00 14.55	1	2	1,000	140 30 00000
	MB0A	0146	SPPR2991B02	1 1 1	14.00 15.20	1	1	1,000	140 30 00000
	MB0A	0147	KYBD1010B01	1 1 1	8.00 8.55		13	864	110 40 00000
	MB0A	0147	KYBD1010B02	1 1 1	8.00 8.55	1	3	864	110 40 00000
	MB0A	0147	BOTH2110B01	1 1	8.00 9.15		4	864	110 40 00000
4	MB0A	0147	KYBD1200B01	1 1 1	9.00 9.29		18	864	110 40 00000
	MB0A	0147	BOTH1120B01	1 1	9.20 11.15		4	864	110 40 00000
	MB0A	0147	BOTH1300B01	1 1	9.20 11.15	1	4	864	110 40 00000
	MB0A	0147	CSRV1000B01	1 1 1	10.20 11.45		19	864	110 40 00000
	MB0A	0147	OSYS1100B01	1 1 1	10.20 11.45	1	19	864	110 40 00000
	MB0A	0147	BOTH1230B01	1 1	11.20 12.35		6	864	110 40 00000
	MB0A	0147	BUSF1050B01	1 1 1	12.00 12.50		13	864	110 40 00000
	MB0A	0147	OSYS1250B01	1 1 1	12.00 12.50	1	14	864	110 40 00000
	MB0A	0147	BOTH1240B01	1 1	12.40 13.55		5	864	110 40 00000
	MB0A	0147	JOBS2450B01	1 1 1	12.55 14.15		15	864	110 40 00000
	MB0A	0147	BUSM1050B01	1 1 1	12.55 14.25	1	3	864	110 40 00000
	MB0A	0147	BOTH1210B01	1 1	14.00 15.15		5	864	110 40 00000
	MB0A	0147	ORNT1000B02	1 1 1	15.00 15.30		20	864	110 40 00000
	MB0A	0147	ORNT1000B03	1 1 1	15.00 15.30	1	2	864	110 40 00000
	MB0A	0156	WELD1141B04	111	8.00 9.00		2	2,180	210 15 00000
	MB0A	0156	WELD1211B04	111	9.03 10.03		2	2,180	210 15 00000
	MB0A	0156	WELD1413B04	111	9.03 10.03	1	1	2,180	210 15 00000
	MB0A	0156	WELD1421B03	111	10.33 11.03		2	2,180	210 15 00000
	MB0A	0156	WELD1131B03	111	10.38 11.08	1	3	2,180	210 15 00000
	MB0A	0156	WELD1421B04	111	11.35 13.05		2	2,180	210 15 00000
	MB0A	0156	WELD1141B05	111	12.00 13.00	1	5	2,180	210 15 00000
	MB0A	0156	WELD1211B05	111	13.03 14.03		5	2,180	210 15 00000
	MB0A	0156	WELD1122B03	111	13.03 14.35	1	2	2,180	210 15 00000
	MB0A	0156	WELD2100B03	111	13.38 15.00	1	1	2,180	210 15 00000
	MB0A	0156	WELD1413B05	111	13.40 15.10	1	1	2,180	210 15 00000
	MB0A	0156	WELD1131B04	111	14.38 15.08	1	8	2,180	210 15 00000
	MB0A	0159	IMFG1140B01	1 1 1	8.00 11.00		3	2,050	210 15 00000
	MB0A	0159	IMFG1340B01	1 1 1	8.00 11.00	1	2	2,050	210 15 00000
	MB0A	0159	IMFG1440B01	1 1 1	8.00 11.00	1	2	2,050	210 15 00000
	MB0A	0159	IMFG1321B01	1 1	8.00 11.00		2	2,050	210 15 00000
	MB0A	0159	CPTR1000B03	1	12.00 15.00		1	2,050	210 15 00000
	MB0A	0159	IMFG1325B01	1 1	12.00 15.00		5	2,050	210 15 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 10/24/2016 11:05:21
 PAGE NUM 3

L.T.C.-NATCHITOCHE
 BRANCH
 PARISH
 RELATION
 NATCHITOCHE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	MB0A	0159	IMFG1210B01	1	12.00 15.00		7	2,050	210 15 00000	
	MB0A	0162	HACR2560B01	11	8.00 9.30		12	400	110 20 00000	
	MB0A	0162	HACR2540B02	1	8.00 9.30	1	1	400	110 20 00000	
	MB0A	0162	HACR2810B01	1111	8.00 10.00		1	400	110 20 00000	
	MB0A	0162	HACR2540B01	11	8.00 11.00	1	12	400	110 20 00000	
	MB0A	0162	HACR2830B01	11	8.00 11.00	1	1	400	110 20 00000	
	MB0A	0162	HACR2820B01	1	9.33 10.30	1	1	400	110 20 00000	
	MB0A	0162	HACR2550B02	1	9.33 11.00	1	1	400	110 20 00000	
	MB0A	0162	HACR2530B01	11	9.33 11.33	1	12	400	110 20 00000	
8	MB0A	0162	HACR2550B01	11	11.03 13.03	1	12	400	110 20 00000	
	MB0A	0162	HACR2996B01	11111	13.33 15.03		9	400	110 20 00000	
	MB0A	0163	HACR2810B01	1	8.00 9.30		1	2,304	210 25 00000	
	MB0A	0163	HACR2550B02	1 1	8.00 11.00		1	2,304	210 25 00000	
	MB0A	0163	HACR2540B01	111	8.00 11.00	1	12	2,304	210 25 00000	
	MB0A	0163	HACR2560B01	111	8.00 11.00	1	12	2,304	210 25 00000	
	MB0A	0163	HACR2540B02	1 1	8.00 11.00	1	1	2,304	210 25 00000	
	MB0A	0163	HACR2820B01	1111	10.35 12.00	1	1	2,304	210 25 00000	
8	MB0A	0163	HACR2530B01	111	11.30 13.30	1	12	2,304	210 25 00000	
8	MB0A	0163	HACR2830B01	111	11.30 13.30	1	1	2,304	210 25 00000	
8	MB0A	0163	HACR2550B01	111	13.05 15.05	1	12	2,304	210 25 00000	
4	8	MB0A	135A	HNUR2128B01	111	6.45 15.15	20	840	210 10 00000	
4	8	MB0A	135A	HNUR2138B01	111	6.45 15.15	1	20	840	210 10 00000
	MB0A	156C	WELD1111B03	11	8.00 9.00		3	500	110 16 00000	
	MB0A	156C	WELD1411B03	11	8.00 9.30	1	1	500	110 16 00000	
	MB0A	156C	WELD1211B04	11	9.03 10.03	1	2	500	110 16 00000	
	MB0A	156C	WELD1413B04	11	9.03 10.03	1	1	500	110 16 00000	
	MB0A	156C	WELD1122B03	11	9.30 10.30	1	2	500	110 16 00000	
	MB0A	156C	WELD1411B04	11	9.30 10.30	1	1	500	110 16 00000	
	MB0A	156C	WELD1421B03	11	9.33 10.03	1	2	500	110 16 00000	
	MB0A	156C	WELD1141B04	11	10.05 10.35		2	500	110 16 00000	
	MB0A	156C	WELD1421B04	11	10.33 11.33	1	2	500	110 16 00000	
	MB0A	156C	WELD1131B03	11	10.38 11.08	1	3	500	110 16 00000	
	MB0A	156C	WELD2100B03	11	11.35 13.35		1	500	110 16 00000	
	MB0A	156C	WELD1111B04	11	12.00 13.00	1	5	500	110 16 00000	
	MB0A	156C	WELD1211B05	11	13.03 14.03		5	500	110 16 00000	
	MB0A	156C	WELD1413B05	11	13.05 13.38	1	1	500	110 16 00000	
	MB0A	156C	WELD1141B05	11	14.05 14.35		5	500	110 16 00000	
	MB0A	156C	WELD1131B04	11	14.38 15.08		8	500	110 16 00000	
	MB0A	163A	IIET2123B01	1 1	8.00 9.00		7	2,050	210 15 00000	
	MB0A	163A	INST1110B01	1 1	8.00 9.00	1	10	2,050	210 15 00000	
	MB0A	163A	IIET1413B01	1 1 1	8.00 10.30		7	2,050	210 15 00000	
	MB0A	163A	IIET1433B01	1 1 1	8.00 10.30	1	13	2,050	210 15 00000	
8	MB0A	163A	IIET2733B01	1 1 1	8.00 10.30	1	6	2,050	210 15 00000	
	MB0A	163A	INST1330B01	11111	12.00 13.00		10	2,050	210 15 00000	
	MB0A	163A	IIET1214B01	1 1 1	12.00 13.00	1	10	2,050	210 15 00000	
	MB0A	163B	ELMT2520B01	1 1 1	8.00 11.30		10	500	110 10 00000	
	MB0A	163B	ELEC1450B01	1 1	8.00 11.30		1	500	110 10 00000	
	MB0A	163B	IIET2123B01	1 1	9.03 11.30	1	7	500	110 10 00000	
8	MB0A	163B	INST1110B01	1 1	9.03 11.30	1	10	500	110 10 00000	
	MB0A	163B	IIET1413B01	1 1 1	10.33 11.30		7	500	110 10 00000	
8	MB0A	163B	IIET1433B01	1 1 1	10.33 11.30	1	13	500	110 10 00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 10/24/2016 11:05:21
 PAGE NUM 4

L.T.C.-NATCHITOCHE
 BRANCH
 PARISH
 RELATION
 NATCHITOCHE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	MB0A 163B	IIET2733B01	1 1 1	10.33 11.30	1	6	500	110 10	00000
	MB0A 163B	IMFG1235B01	11111	12.00 15.30		13	500	110 10	00000
	MB0A 163B	IMFG1250B01	1 1 1	12.00 15.30	1	1	500	110 10	00000
8	MB0A 163B	INST1330B01	11111	13.03 15.30	1	10	500	110 10	00000
8	MB0A 163B	IIET1214B01	1 1 1	13.03 15.30	1	10	500	110 10	00000
	MB0A 163B	ELEC1330B01	1 1	13.03 15.30		1	500	110 10	00000
	MB0C 0184	WELD1310B01	111	9.00 10.00		1	3,364	210 20	00000
	MB0C 0184	WELD1512B02	1111	9.00 10.58	1	4	3,364	210 20	00000
	MB0C 0184	IMFG1315B01	1	9.00 11.00	1	7	3,364	210 20	00000
	MB0C 0184	WELD1511B01	1111	9.30 11.30	1	2	3,364	210 20	00000
	MB0C 0184	WELD1421B02	111	9.30 11.30	1	3	3,364	210 20	00000
	MB0C 0184	WELD2991B01	1111	10.00 10.58	1	3	3,364	210 20	00000
	MB0C 0184	WELD1421B05	1111	10.03 11.03	1	1	3,364	210 20	00000
	MB0C 0184	WELD1141B01	111	10.35 11.32	1	3	3,364	210 20	00000
	MB0C 0184	WELD2100B04	111	11.05 13.55	1	1	3,364	210 20	00000
	MB0C 0184	WELD1131B01	11	11.35 12.35	1	4	3,364	210 20	00000
8	MB0C 0184	WELD1211B01	111	11.40 12.40	1	8	3,364	210 20	00000
	MB0C 0184	WELD1411B01	111	13.15 14.15		7	3,364	210 20	00000
	MB0C 0184	WELD1512B01	1111	13.15 15.00	1	2	3,364	210 20	00000
	MB0C 0184	WELD1421B01	111	13.15 15.15	1	2	3,364	210 20	00000
	MB0C 0184	WELD2210B01	111	13.40 15.10	1	1	3,364	210 20	00000
	MB0C 0184	WELD1122B01	111	14.00 15.15	1	7	3,364	210 20	00000
	MB0C 0184	WELD2312B05	111	14.00 15.30	1	1	3,364	210 20	00000
	MB0C 0184	WELD1413B01	111	14.20 16.00	1	5	3,364	210 20	00000
	MB0C 0184	WELD1131B02	111	16.00 17.00		2	3,364	210 20	00000
	MB0C 0184	WELD1413B03	111	16.00 17.00	1	3	3,364	210 20	00000
	MB0C 0184	IMFG1315B02	1111	16.00 19.00	1	1	3,364	210 20	00000
	MB0C 0184	WELD1510B01	111	16.10 18.10	1	1	3,364	210 20	00000
	MB0C 0184	WELD1411B02	1111	17.03 18.03	1	4	3,364	210 20	00000
	MB0C 0184	WELD1122B02	111	17.03 18.03	1	2	3,364	210 20	00000
	MB0C 0184	WELD1141B03	111	17.03 18.03	1	10	3,364	210 20	00000
	MB0C 0184	WELD1141B06	111	17.03 18.03	1	1	3,364	210 20	00000
	MB0C 0184	WELD2994B01	1111	17.05 18.45	1	1	3,364	210 20	00000
	MB0C 0184	WELD2995B01	1111	18.03 19.00	1	1	3,364	210 20	00000
	MB0C 0184	WELD1211B06	111	18.05 18.35	1	1	3,364	210 20	00000
8	MB0C 0184	WELD1211B03	111	18.05 19.05	1	13	3,364	210 20	00000
	MB0C 0185	WELD2211B02	111	9.00 10.35		5	2,262	210 5	00000
8	MB0C 0185	WELD2312B03	111	9.00 11.00	1	4	2,262	210 5	00000
	MB0C 0185	WELD2231B02	111	11.10 12.40		7	2,262	210 5	00000
	MB0C 0185	WELD2312B01	111	15.05 16.05		4	2,262	210 5	00000
	MB0C 0185	WELD2211B01	111	15.30 17.00	1	4	2,262	210 5	00000
8	MB0C 0185	WELD2211B04	111	16.00 17.00	1	3	2,262	210 5	00000
8	MB0C 0185	WELD2100B01	111	16.20 18.00	1	5	2,262	210 5	00000
8	MB0C 0185	WELD2312B04	111	17.03 18.03	1	8	2,262	210 5	00000
	MB0C 0185	WELD2100B02	111	18.05 19.05		2	2,262	210 5	00000
	MB0C 184A	WELD1310B01	1	9.00 10.00		1	440	110 12	00000
	MB0C 184A	WELD2211B02	1	9.00 10.35	1	5	440	110 12	00000
	MB0C 184A	WELD2312B03	1	9.00 11.00	1	4	440	110 12	00000
	MB0C 184A	WELD1111B01	1111	9.30 10.30	1	3	440	110 12	00000
	MB0C 184A	WELD1421B02	1	9.30 11.30	1	3	440	110 12	00000
	MB0C 184A	WELD1421B05	1	10.03 11.03	1	1	440	110 12	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 10/24/2016 11:05:21
 PAGE NUM 5

L.T.C.-NATCHITOCHE
 BRANCH
 PARISH
 RELATION
 NATCHITOCHE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	MB0C 184A	WELD1141B01	1	10.35 11.32	1	3	440	110 12	00000
8	MB0C 184A	WELD2100B04	1	11.05 13.55	1	1	440	110 12	00000
8	MB0C 184A	WELD2231B02	1	11.10 12.40	1	7	440	110 12	00000
8	MB0C 184A	WELD1131B01	1	11.35 12.35	1	4	440	110 12	00000
8	MB0C 184A	WELD1211B01	1	11.40 12.40	1	8	440	110 12	00000
	MB0C 184A	WELD1411B01	1	13.15 14.15		7	440	110 12	00000
	MB0C 184A	WELD1421B01	1	13.15 15.15	1	2	440	110 12	00000
	MB0C 184A	WELD2210B01	1	13.40 15.10	1	1	440	110 12	00000
	MB0C 184A	WELD1122B01	1	14.00 15.15	1	7	440	110 12	00000
	MB0C 184A	WELD2312B05	1	14.00 15.30	1	1	440	110 12	00000
8	MB0C 184A	WELD1413B01	1	14.20 16.00	1	5	440	110 12	00000
8	MB0C 184A	WELD2312B01	1	15.05 16.05	1	4	440	110 12	00000
8	MB0C 184A	WELD2211B01	1	15.30 17.00	1	4	440	110 12	00000
8	MB0C 184A	WELD1111B02	1111	16.00 17.00	1	10	440	110 12	00000
8	MB0C 184A	WELD1111B05	1111	16.00 17.00	1	1	440	110 12	00000
8	MB0C 184A	WELD1131B02	1	16.00 17.00	1	2	440	110 12	00000
8	MB0C 184A	WELD1413B03	1	16.00 17.00	1	3	440	110 12	00000
8	MB0C 184A	WELD2211B04	1	16.00 17.00	1	3	440	110 12	00000
8	MB0C 184A	WELD1510B01	1	16.10 18.10	1	1	440	110 12	00000
8	MB0C 184A	WELD2100B01	1	16.20 18.00	1	5	440	110 12	00000
8	MB0C 184A	WELD1141B06	1	17.03 17.33	1	1	440	110 12	00000
8	MB0C 184A	WELD1122B02	1	17.03 18.03	1	2	440	110 12	00000
8	MB0C 184A	WELD1141B03	1	17.03 18.03	1	10	440	110 12	00000
8	MB0C 184A	WELD2312B04	1	17.03 18.03	1	8	440	110 12	00000
8	MB0C 184A	CPTR1000B02	1111	18.00 19.00	1	1	440	110 12	00000
8	MB0C 184A	WELD1211B06	1	18.05 18.35	1	1	440	110 12	00000
8	MB0C 184A	WELD1211B03	1	18.05 19.05	1	13	440	110 12	00000
8	MB0C 184A	WELD2100B02	1	18.05 19.05	1	2	440	110 12	00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	8
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	41
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		49
TOTAL NUMBER OF RECORDS READ		232
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		232
NUMBER OF JOINT-CLASS RECORDS		131
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/24/2016 11:05:21
 PAGE NUM 1

L.T.C. -NATCHITOCHEs

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			17
TOTAL NUMBER OF STATIONS (CAPACITY)			485
WEEKLY STUDENT CONTACT HOURS	3,814	52	3,866
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,530	850	2,380
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	905	28	933
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43,650	24,250	67,900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	23,190	400	23,590
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,628	104	7,732
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	59.2	3.3	39.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	17.5	.4	11.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	32.9	26.0	32.8
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			370
WEEKLY STUDENT CONTACT HOURS	2,995	52	3,047
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,260	700	1,960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	744	28	772
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	33,300	18,500	51,800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	17,880	400	18,280
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,991	104	6,095
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	59.0	4.0	39.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	18.0	.6	11.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	33.5	26.0	33.3

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/24/2016 11:05:21

PAGE NUM 2

L.T.C. -NATCHITOCHE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			115
WEEKLY STUDENT CONTACT HOURS	818		818
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	161		161
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	10,350	5,750	16,100
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,310		5,310
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,637		1,637
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	59.6	.0	38.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	15.8	.0	10.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	30.8	.0	30.8
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			240
WEEKLY STUDENT CONTACT HOURS	2,927	137	3,065
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1,540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	842	71	913
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	21,600	12,000	33,600
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	17,470	1,240	18,710
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,855	275	6,130
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	85.1	12.9	59.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	27.1	2.3	18.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	33.5	22.2	32.8

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/24/2016 11:05:21

PAGE NUM 3

L.T.C.-NATCHITOCHE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			240
WEEKLY STUDENT CONTACT HOURS	2,927	137	3,065
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1,540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	842	71	913
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	21,600	12,000	33,600
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	17,470	1,240	18,710
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,855	275	6,130
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	85.1	12.9	59.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	27.1	2.3	18.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	33.5	22.2	32.8

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY