

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2016  
 RUN DATE 11/14/2016 18:13:44  
 PAGE NUM 1

L.T.C.-NORTHWEST  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	OMCS	0112	HCOR1200C01	11111	8.00 9.25		9	712	110 22 00000
	OMCS	0112	BOTH1300C01	1 1	8.00 9.30	1	3	712	110 22 00000
	OMCS	0112	HCOR1601C01	1111	12.00 13.00		15	712	110 22 00000
	OMCS	0115	HPHL1013C01	11 11	8.00 11.00		9	712	110 22 00000
	OMCS	0115	HNUR1211C04	1111	9.35 11.00	1	21	712	110 22 00000
	OMCS	0115	HEKG1113C01	11111	13.01 14.31		13	712	110 22 00000
	OMCS	0115	HCOR1601C02	1111	13.05 15.05	1	11	712	110 22 00000
	OMCS	0134	ZMTH1000C01	1111	8.00 9.25		11	696	210 17 00000
	OMCS	0134	ZMTH1000C02	1111	9.00 10.00	1	9	696	210 17 00000
	OMCS	0134	ZRED1000C01	1111	13.30 15.00		2	696	210 17 00000
	OMCS	0134	ZENG1000C02	1111	14.00 15.00	1	1	696	210 17 00000
	OMCS	0134	ZRED1000C02	1111	14.00 15.00	1	1	696	210 17 00000
	OMCS	0135	BOTH2110C01	1 1	8.00 9.00		4	822	210 25 00000
	OMCS	0135	MATR1350C01	1 1	8.00 9.00	1	3	822	210 25 00000
	OMCS	0135	BOTH2110C01	1	8.00 9.15		4	822	210 25 00000
	OMCS	0135	MATR1350C01	1	8.00 9.15	1	3	822	210 25 00000
	OMCS	0135	CPTR1320C01	11111	9.05 10.05	1	11	822	210 25 00000
	OMCS	0135	KYBD1111C01	1111	9.05 10.05	1	1	822	210 25 00000
	OMCS	0135	KYBD1200C01	1111	9.05 10.05	1	5	822	210 25 00000
	OMCS	0135	KYBD1010C01	1 1	9.05 10.05	1	14	822	210 25 00000
	OMCS	0135	KYBD1010C01	1	9.05 10.25		14	822	210 25 00000
	OMCS	0135	KYBD1111C01	1	9.05 10.25	1	1	822	210 25 00000
	OMCS	0135	KYBD1200C01	1	9.05 10.25	1	5	822	210 25 00000
	OMCS	0135	ISYS1650C01	1 1	10.10 11.10		3	822	210 25 00000
	OMCS	0135	ISYS1650C01	1 1	10.10 11.25		3	822	210 25 00000
	OMCS	0135	CPTR1000C01	1 1	12.15 13.50		6	822	210 25 00000
	OMCS	0135	CPTR1002C01	1 1	12.15 13.50	1	15	822	210 25 00000
	OMCS	0135	BOTH1230C01	1 1	12.40 14.10		4	822	210 25 00000
	OMCS	0135	JOBS2450C01	1 1	14.15 15.35		6	822	210 25 00000
	OMCS	0135	BOTH1210C01	1 1	14.15 15.45		19	822	210 25 00000
	OMCS	0135	HCOR1801C01	1 1 1	14.35 15.55		14	822	210 25 00000
	OMCS	0137	HNUR1212C02	1111	15.15 17.45		11	546	210 25 00000
	OMCS	0140	HNUR2996C01	1 1	8.00 9.25		11	1,223	110 41 00000
	OMCS	0140	HNUR1211C01	1 1 1	9.35 11.20		14	1,223	110 41 00000
	OMCS	0141	HNUR1411C01	11111	8.00 9.25		36	1,223	110 41 00000
	OMCS	0141	HNUR1363C01	11111	9.35 11.00		36	1,223	110 41 00000
	OMCS	0141	HNUR1000C01	1 1 1	12.00 13.25		24	1,223	110 41 00000
	OMCS	0141	HNUR1322C01	1 1	12.00 13.25		31	1,223	110 41 00000
	OMCS	0141	HNUR1100C01	11111	13.35 15.00		25	1,223	110 41 00000
	OMCS	0142	HNUR2128C01	1 1	8.00 11.00		20	1,223	210 25 00000
	OMCS	0142	HNUR2722C01	1 1	12.00 13.25		20	1,223	210 25 00000
	OMCS	0142	HNUR2522C01	1 1	13.35 15.00		14	1,223	210 25 00000
	OMCS	0143	HNUR2138C01	1 1	8.00 11.00		11	1,223	210 25 00000
	OMCS	0143	HNUR2712C01	1 1	12.00 13.25		11	1,223	210 25 00000
	OMCS	0143	HNUR2812C01	1 1	13.35 15.00		11	1,223	210 25 00000
	OMCT	0112	ELEC2630C01	11111	8.00 9.27		2	951	110 16 00000
	OMCT	0112	BOTH1120C01	1 1	8.00 9.30	1	3	951	110 16 00000
8	OMCT	0112	INST2750C01	11111	8.00 10.04	1	25	951	110 16 00000
8	OMCT	0112	ELEC2620C01	11111	9.28 11.07	1	3	951	110 16 00000
8	OMCT	0112	INST2731C01	11111	11.00 11.50	1	12	951	110 16 00000
8	OMCT	0112	INST2731C02	11111	11.00 11.50	1	25	951	110 16 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2016  
 RUN DATE 11/14/2016 18:13:44  
 PAGE NUM 2

L.T.C.-NORTHWEST  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	OMCT	0112	INST1110C03	11111	11.55 13.00		22	951	110 16 00000
	OMCT	0112	JOBS2450C03	11111	12.30 13.00	1	2	951	110 16 00000
	OMCT	0112	IMMT1441C01	11111	13.20 15.00		2	951	110 16 00000
	OMCT	0112	INST1110CN3	11111	15.15 16.17		13	951	110 16 00000
	OMCT	0112	INST2730CN1	11111	16.22 17.01		13	951	110 16 00000
	OMCT	0112	INST2750CN1	11111	17.06 20.10		13	951	110 16 00000
	OMCT	0114	INST2730C01	11111	8.00 9.02		16	890	110 16 00000
8	OMCT	0114	INST1431C01	11111	8.00 9.25	1	37	890	110 16 00000
8	OMCT	0114	INST1430C01	11111	9.07 10.10	1	16	890	110 16 00000
8	OMCT	0114	INST1340C01	11111	9.30 10.55	1	26	890	110 16 00000
8	OMCT	0114	INST2610C01	11111	10.15 11.38	1	16	890	110 16 00000
8	OMCT	0114	INST1430C02	11111	11.55 13.00		25	890	110 16 00000
	OMCT	0114	INST1431CN1	11111	15.15 16.38		21	890	110 16 00000
	OMCT	0114	INST1340CN1	11111	16.43 18.06		20	890	110 16 00000
	OMCT	0114	INST2731CN1	11111	18.11 19.00		21	890	110 16 00000
	OMCT	0114	INST1110CN4	11111	19.05 20.08		19	890	110 16 00000
	OMCT	0119	INST1110C02	11111	8.00 9.02		19	1,277	110 32 00000
	OMCT	0119	ELEC1111C01	11111	8.14 9.41	1	16	1,277	110 32 00000
8	OMCT	0119	ETRN1131C01	11111	9.07 11.11	1	17	1,277	110 32 00000
8	OMCT	0119	ELEC1131C01	11111	9.42 11.09	1	18	1,277	110 32 00000
	OMCT	0119	ETRN1221C01	11111	11.16 13.20		17	1,277	110 32 00000
8	OMCT	0123	INST2820C01	11111	8.00 9.02		27	1,269	110 16 00000
	OMCT	0123	INST2830C01	11111	9.07 10.30		11	1,269	110 16 00000
	OMCT	0123	INST2840C01	11111	10.35 11.58		11	1,269	110 16 00000
4	OMCT	0123	JOBS2450C09	11111	12.03 12.28		11	1,269	110 16 00000
	OMCT	0132	MTTC2310C01	1111	8.00 9.30		3	3,642	210 25 00000
	OMCT	0132	MTTC2410C01	1111	8.00 9.30	1	3	3,642	210 25 00000
	OMCT	0132	IMFG1100C01	1111	8.30 9.15	1	5	3,642	210 25 00000
	OMCT	0132	IMMT1210C01	11111	8.45 9.15	1	2	3,642	210 25 00000
	OMCT	0132	MTTC2510C01	1111	9.00 10.30	1	4	3,642	210 25 00000
	OMCT	0132	IMFG1120C01	1111	9.30 11.45	1	5	3,642	210 25 00000
	OMCT	0132	MTTC2320C01	1111	9.45 12.15	1	3	3,642	210 25 00000
	OMCT	0132	MTTC2420C01	1111	9.45 12.15	1	3	3,642	210 25 00000
	OMCT	0132	IMFG1200C01	1111	12.00 14.00	1	5	3,642	210 25 00000
	OMCT	0132	MTTC2331C01	1111	12.30 15.30	1	4	3,642	210 25 00000
8	OMCT	0132	MTTC2431C01	1111	12.30 15.30	1	5	3,642	210 25 00000
8	OMCT	0132	IMFG1300C01	1111	14.15 16.30	1	4	3,642	210 25 00000
4	OMCT	0134	ELEC1000C01	11111	8.00 8.13		16	1,945	210 25 00000
	OMCT	0134	CPTR1000C05	11111	8.00 8.40	1	3	1,945	210 25 00000
	OMCT	0134	IMMT2993C01	11111	8.00 8.45	1	1	1,945	210 25 00000
	OMCT	0134	ELEC1230C06	11111	8.00 9.15	1	1	1,945	210 25 00000
	OMCT	0134	ELEC1330C06	11111	8.00 10.12	1	1	1,945	210 25 00000
	OMCT	0134	ELEC1312C01	11111	8.00 10.16	1	4	1,945	210 25 00000
	OMCT	0134	IMMT1411C01	11111	8.20 9.30	1	9	1,945	210 25 00000
	OMCT	0134	ELEC1430C06	11111	9.20 10.20	1	2	1,945	210 25 00000
8	OMCT	0134	IMMT1421C01	11111	9.35 11.10	1	4	1,945	210 25 00000
4	OMCT	0134	JOBS2450C06	11111	11.15 11.40		2	1,945	210 25 00000
	OMCT	0134	IMMT1430C01	11111	11.15 13.40	1	8	1,945	210 25 00000
	OMCT	0134	ELEC1211C01	11111	12.56 15.00	1	17	1,945	210 25 00000
	OMCT	0134	ELEC1311C06	11111	13.05 15.30	1	1	1,945	210 25 00000
	OMCT	0134	JOBS2450C05	11111	13.45 14.45	1	8	1,945	210 25 00000

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	OMCT	0135	IMMT1311C01	11111	8.00 8.50		11	210 25	00000	
	OMCT	0135	IMMT1321C02	11111	8.00 9.40	1	1,980	210 25	00000	
	OMCT	0135	ELEC1330C02	11111	8.00 10.00	1	1,980	210 25	00000	
	OMCT	0135	IMMT1320C01	1111	8.55 9.30	1	1,980	210 25	00000	
	OMCT	0135	IMMT1321C01	11111	9.35 10.50		6	1,980	210 25	00000
4	OMCT	0135	IMMT1330C01	11111	10.55 11.15		9	1,980	210 25	00000
	OMCT	0135	IMMT1331C01	11111	11.20 12.30		10	1,980	210 25	00000
	OMCT	0135	ELEC1410C01	11111	13.21 15.55		2	1,980	210 25	00000
	OMCT	0135	IMMT1121C01	1111	13.55 15.25	1	3	1,980	210 25	00000
	OMCT	0136	CPTR1000C07	1111	8.00 8.45		2	606	110 25	00000
	OMCT	0136	MTFC2710C01	1111	10.45 13.45		2	606	110 25	00000
	OMCT	0136	JOBS2450C07	1111	14.00 14.30		4	606	110 25	00000
4	OMCT	0137	IMMT1410C01	11111	8.00 8.15		9	606	110 25	00000
	OMCT	0137	ELEC2460C01	11111	10.17 11.00		2	606	110 25	00000
	OMCT	0137	ELEC1230C01	11111	12.00 13.14		3	606	110 25	00000
	OMCT	0137	ELEC1430C01	11111	13.15 14.29		2	606	110 25	00000
	OMCT	0137	IMMT1120C01	11111	13.20 13.50	1	6	606	110 25	00000
4	OMCT	0138	IMMT1110C01	11111	8.00 8.15		11	606	110 25	00000
	OMCT	0138	ELEC1440C09	11111	8.00 10.25	1	14	606	110 25	00000
	OMCT	0138	ELEC1450C09	11111	10.30 11.53		14	606	110 25	00000
	OMCT	0138	ELEC1330C09	11111	11.58 13.21		14	606	110 25	00000
	OMCT	0138	ELEC1220C01	11111	13.15 14.45	1	1	606	110 25	00000
4	OMCT	0140	WELD1111C01	11111	8.00 8.25		7	2,741	210 25	00000
	OMCT	0140	WELD1411C01	11111	8.00 9.30	1	1	2,741	210 25	00000
	OMCT	0140	WELD1420C01	11111	8.00 9.40	1	3	2,741	210 25	00000
	OMCT	0140	WELD1510C01	11111	8.00 9.40	1	5	2,741	210 25	00000
	OMCT	0140	WELD1511C01	11111	8.00 9.40	1	5	2,741	210 25	00000
	OMCT	0140	IMMT1111C01	11111	8.20 11.00	1	4	2,741	210 25	00000
	OMCT	0140	WELD1211C01	11111	8.30 10.00	1	8	2,741	210 25	00000
	OMCT	0140	WELD2210C01	11111	9.45 11.15	1	3	2,741	210 25	00000
8	OMCT	0140	WELD1512C01	11111	9.45 11.20	1	5	2,741	210 25	00000
8	OMCT	0140	WELD1413C01	11111	10.05 11.20	1	7	2,741	210 25	00000
8	OMCT	0140	WELD2310C01	11111	10.40 12.10	1	3	2,741	210 25	00000
8	OMCT	0140	WELD2230C01	11111	11.20 12.50	1	1	2,741	210 25	00000
8	OMCT	0140	WELD1122C01	11111	11.25 12.15	1	7	2,741	210 25	00000
8	OMCT	0140	WELD2110C01	11111	11.55 13.25	1	2	2,741	210 25	00000
8	OMCT	0140	IMMT1112C01	11111	12.00 13.15	1	4	2,741	210 25	00000
8	OMCT	0140	WELD2311C01	11111	12.15 13.45	1	5	2,741	210 25	00000
8	OMCT	0140	WELD1141C01	11111	12.20 13.25	1	7	2,741	210 25	00000
8	OMCT	0140	CPTR1000C04	11111	12.55 13.35	1	2	2,741	210 25	00000
8	OMCT	0140	WELD2111C01	11111	13.30 15.00	1	4	2,741	210 25	00000
	OMCT	0140	WELD1211CN1	1111	15.00 16.50		2	2,741	210 25	00000
	OMCT	0140	WELD2210CN1	1111	15.00 16.50	1	4	2,741	210 25	00000
	OMCT	0140	WELD1122CN1	1111	15.40 16.45	1	2	2,741	210 25	00000
	OMCT	0140	WELD1511CN1	1111	15.40 17.45	1	2	2,741	210 25	00000
	OMCT	0140	WELD2310CN1	1111	16.00 17.55	1	8	2,741	210 25	00000
	OMCT	0140	WELD2110CN1	1111	16.10 18.00	1	8	2,741	210 25	00000
	OMCT	0140	WELD2230CN1	1111	17.00 18.50	1	6	2,741	210 25	00000
	OMCT	0140	WELD1512CN1	1111	17.50 20.00	1	3	2,741	210 25	00000
	OMCT	0140	WELD1411CN2	1111	18.30 20.25	1	2	2,741	210 25	00000
4	OMCT	0144	CPTR1000C11	11111	8.00 15.30		1	175	110 25	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2016  
 RUN DATE 11/14/2016 18:13:44  
 PAGE NUM 4

L.T.C.-NORTHWEST  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	OMCT 0144	JOBS2450C04	11111	11.25 11.50	1	1	175	110 25	00000

D E S C R I P T I O N   A N D   S U M M A R Y   O F   E R R O R S   &   W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	9
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	26
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		35
TOTAL NUMBER OF RECORDS READ		154
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		154
NUMBER OF JOINT-CLASS RECORDS		85
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/14/2016 18:13:44  
 PAGE NUM 1

L.T.C. -NORTHWEST

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>*CLASSROOM FACILITIES</b>			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			365
WEEKLY STUDENT CONTACT HOURS	5,635	475	6,110
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,260	700	1,960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	831	60	891
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	32,850	18,250	51,100
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	19,511	960	20,471
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,271	950	12,221
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	66.0	8.6	45.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	34.3	5.2	23.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	57.8	99.0	59.7
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>CLASSROOM</b>			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			365
WEEKLY STUDENT CONTACT HOURS	5,635	475	6,110
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,260	700	1,960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	831	60	891
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	32,850	18,250	51,100
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	19,511	960	20,471
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,271	950	12,221
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	66.0	8.6	45.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	34.3	5.2	23.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	57.8	99.0	59.7

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/14/2016 18:13:44  
 PAGE NUM 2

L.T.C. -NORTHWEST

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>*LABORATORY FACILITIES</b>			
TOTAL NUMBER OF ROOMS			20
TOTAL NUMBER OF STATIONS (CAPACITY)			423
WEEKLY STUDENT CONTACT HOURS	3,138	94	3,232
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,800	1,000	2,800
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,171	52	1,223
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	38,070	21,150	59,220
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	28,891	1,300	30,191
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,277	188	6,465
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	65.1	5.2	43.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	16.5	.9	10.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	21.7	14.5	21.4
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>CLASS LABORATORY</b>			
TOTAL NUMBER OF ROOMS			20
TOTAL NUMBER OF STATIONS (CAPACITY)			423
WEEKLY STUDENT CONTACT HOURS	3,138	94	3,232
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,800	1,000	2,800
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,171	52	1,223
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	38,070	21,150	59,220
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	28,891	1,300	30,191
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,277	188	6,465
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	65.1	5.2	43.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	16.5	.9	10.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	21.7	14.5	21.4

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY