

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	A000	A203	HPHL1013B01	11	8.00 14.50		15	884	110 30 00000
	A000	A203	MAST1111B01	1	8.30 11.20		11	884	110 30 00000
	A000	A203	MAST2141B01	1	8.30 13.20		6	884	110 30 00000
4	A000	A203	MAST2131B01	1	8.30 14.20		11	884	110 30 00000
	A000	A300	JOBS2450B01	1	18.00 19.50		25	1,113	110 40 00000
	A000	A300	JOBS2450B02	1	18.00 19.50		22	1,113	110 40 00000
	A000	A300	JOBS2450B03	1	18.00 19.50		21	1,113	110 40 00000
	A000	A303	HNUR1211B01	1111	8.00 9.20		25	786	220 24 00000
	A000	A303	HNUR1271B01	1111	12.00 12.50		25	786	220 24 00000
	A000	A303	HNUR1300B01	1111	13.00 14.20		25	786	220 24 00000
	A000	A303	HNUR1411B01	1111	14.30 15.50		25	786	220 24 00000
	A000	A306	HNUR1271B01	1111	12.00 12.50		25	687	220 24 00000
	C000	C100	CPTR1700B01	1 1	8.00 10.20		14	970	210 28 00000
	C000	C100	CPTR1320B01	1 1	8.00 10.20		3	970	210 28 00000
	C000	C100	PTEC1320B01	1 1	10.00 11.50		18	970	210 28 00000
	C000	C100	CPTR1005BJ3	1	10.00 12.50	1	17	970	210 28 00000
8	C000	C100	CPTR1310B01	1 1	11.30 13.20	1	16	970	210 28 00000
8	C000	C100	KYBD1200B01	11	13.00 15.20	1	11	970	210 28 00000
	C000	C100	CPTR1005BJ2	1	13.00 15.50		22	970	210 28 00000
	C000	C100	ISYS1440B01	1 1	14.30 16.50		8	970	210 28 00000
	C000	C100	CPTR1005BJ1	1	17.00 19.50		17	970	210 28 00000
	C000	C200	HACR1170B01			1	1	5,062	210 40 00000
	C000	C200	HACR1210B01	1 1 1	8.00 11.20		11	5,062	210 40 00000
	C000	C200	HACR2540B01	1 1	8.00 11.50		10	5,062	210 40 00000
	C000	C200	HACR2550B01	1 1	8.00 11.50	1	10	5,062	210 40 00000
	C000	C200	HACR2560B01	1 1	8.00 11.50	1	10	5,062	210 40 00000
	C000	C200	HACR1220B01	1 1 1	12.00 15.50		11	5,062	210 40 00000
	C000	C201	HACR1230B01	1 1 1	8.00 11.20		11	480	110 15 00000
	C000	C201	HACR1240B01	1 1 1	12.00 15.50		11	480	110 15 00000
	C000	C201	HACR2540B01	1 1	12.30 15.50		10	480	110 15 00000
	C000	C201	HACR2550B01	1 1	12.30 15.50	1	10	480	110 15 00000
8	C000	C201	HACR2560B01	1 1	12.30 15.50	1	10	480	110 15 00000
	C000	C202	HACR1180B01			1	1	210	220 6 00000
	C000	C300	DVMA0090B01	1 1	8.00 9.50		20	1,925	210 60 00000
	C000	C300	DVEN0090B01	1 1	8.00 9.50		11	1,925	210 60 00000
	C000	C300	DVEN0091B01	1 1	8.00 9.50	1	26	1,925	210 60 00000
	C000	C300	DVMA0091B01	1 1	12.00 13.50		15	1,925	210 60 00000
	C000	C300	DVEN0092B01	1 1	12.00 13.50		34	1,925	210 60 00000
	C000	C300	IMMT1120B01	1 1	13.00 13.50	1	4	1,925	210 60 00000
	C000	C300	IMMT1122B01	1 1	13.00 13.50	1	8	1,925	210 60 00000
	C000	C300	IMMT1133B01	1 1	13.00 14.20		8	1,925	210 60 00000
	C000	C300	WELD1120B01	1111	13.00 14.50	1	5	1,925	210 60 00000
	C000	C300	DVMA0092B01	1 1	14.00 15.50	1	44	1,925	210 60 00000
	C000	C300	DVMA0090B02	1 1	17.00 18.50		17	1,925	210 60 00000
	C000	C300	DVMA0091B02	1 1	17.00 18.50	1	16	1,925	210 60 00000
	C000	C300	DVMA0092B02	1 1	17.00 18.50	1	28	1,925	210 60 00000
	C000	C400	ORNT1000BJ4	1 1	9.30 10.20		17	1,833	210 30 00000
	C000	C400	ORNT1000BJ7	1	10.30 11.20		23	1,833	210 30 00000
	C000	C400	ORNT1000BJ5	1	11.00 11.50		26	1,833	210 30 00000
	C000	C400	ACCT1100B01	1 1	11.00 12.50		2	1,833	210 30 00000
	C000	C400	CSR1000B01	1	12.00 14.50		8	1,833	210 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2016  
 RUN DATE 11/18/2016 13:48:54  
 PAGE NUM 2

L.T.C.-RIVER PARISHES  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	C000	C400	ORNT1000BJ1	1	13.00 13.50		15	1,833	210 30 00000
	C000	C400	INST1420B01	1 1	13.00 14.50		17	1,833	210 30 00000
	C000	C400	ORNT1000BJ2	1	15.00 15.50		25	1,833	210 30 00000
	C000	C400	ORNT1000BJ6	1	17.00 17.50		22	1,833	210 30 00000
	C000	C400	SPCH1015BJ2	1	18.00 20.50		23	1,833	210 30 00000
	C000	C400	SPCH1015BJ3	1	18.00 20.50		21	1,833	210 30 00000
	C000	C400	SPCH1015BJ1	1	18.00 20.50		24	1,833	210 30 00000
	C000	C500	IMMT2113B01	11	13.00 15.20		7	3,363	210 30 00000
	C000	C500	IMMT2123B01	11	14.30 16.50		5	3,363	210 30 00000
	C000	C503	IMMT2103B01	11	8.00 10.20		4	450	110 20 00000
	C000	C503	IMMT1123B01	11	8.00 10.50		9	450	110 20 00000
	C000	C503	IMMT1013B01	1	8.00 10.50		13	450	110 20 00000
	C000	C503	IMMT1163B01	11	13.00 14.20		10	450	110 20 00000
	C000	C503	IMMT2133B01	1	16.30 19.20		21	450	110 20 00000
	C000	C503	IMMT2103B02	1	17.00 21.50		10	450	110 20 00000
	C000	C600	WELD2220B01	1111	8.00 11.20		1	2,552	210 25 00000
	C000	C600	WELD2221B01	1111	8.00 11.20	1	1	2,552	210 25 00000
	C000	C600	WELD2222B01	1111	8.00 11.20	1	1	2,552	210 25 00000
	C000	C600	WELD1412B01	111	8.00 11.20	1	3	2,552	210 25 00000
	C000	C600	WELD1420B01	111	8.00 11.20	1	5	2,552	210 25 00000
	C000	C600	WELD1512B01	111	8.00 11.20	1	1	2,552	210 25 00000
	C000	C600	WELD2110B01	111	8.00 11.20	1	3	2,552	210 25 00000
	C000	C600	WELD2310B01	111	8.00 11.20	1	2	2,552	210 25 00000
	C000	C600	WELD1410B01	1111	8.00 11.50	1	5	2,552	210 25 00000
	C000	C600	WELD1512B01	1	8.00 11.50		1	2,552	210 25 00000
	C000	C600	WELD1130B01	1	8.00 12.50	1	1	2,552	210 25 00000
	C000	C600	WELD2220B01	1111	12.00 15.20		1	2,552	210 25 00000
	C000	C600	WELD2221B01	1111	12.00 15.20	1	1	2,552	210 25 00000
	C000	C600	WELD2222B01	1111	12.00 15.20	1	1	2,552	210 25 00000
	C000	C600	WELD1210B01	1111	12.00 15.50	1	5	2,552	210 25 00000
	C000	C601	WELD1210B01	1111	8.00 11.20		5	450	110 20 00000
	C000	C601	WELD1420B01	111	12.00 12.50		5	450	110 20 00000
	C000	C601	INST1331B01	1 1	12.00 14.50	1	10	450	110 20 00000
	C000	C601	WELD1512B01	111	12.00 15.50	1	1	450	110 20 00000
	C000	C601	WELD2110B01	111	12.00 15.50	1	3	450	110 20 00000
	C000	C601	WELD2310B01	111	12.00 15.50	1	2	450	110 20 00000
8	C000	C601	INST1331B02	1 1	13.00 15.50	1	15	450	110 20 00000
	C000	C601	INST2650B01	1 1	17.00 19.50		16	450	110 20 00000
	D000	D102	PTEC1000B01	1 1	8.00 8.50		22	727	110 26 00000
	D000	D102	PTEC2070B01	1 1	9.30 10.50		15	727	110 26 00000
	D000	D102	PTEC1000B04	1 1	10.30 11.20		13	727	110 26 00000
	D000	D102	PTEC2030B01	1 1	12.30 13.50		20	727	110 26 00000
	D000	D102	PTEC2030B02	1 1	13.00 14.20		20	727	110 26 00000
	D000	D102	PTEC2912B02	1	15.00 17.50		19	727	110 26 00000
	D000	D102	PTEC2070B03	1 1	16.00 17.20		12	727	110 26 00000
	D000	D102	PTEC1000B02	1	18.00 19.50		13	727	110 26 00000
	D000	D102	PTEC2030B03	1	18.00 20.50		7	727	110 26 00000
	D000	D102	PTEC2030B04	1	18.00 20.50		9	727	110 26 00000
	D000	D102	PTEC2070B02	1	18.00 20.50		15	727	110 26 00000
	D000	D106	PTEC1000B03	1 1	8.00 8.50		15	615	110 23 00000
	D000	D106	PTEC1310B01	1 1	8.00 9.50		15	615	110 23 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2016  
 RUN DATE 11/18/2016 13:48:54  
 PAGE NUM 3

L.T.C.-RIVER PARISHES  
 BRANCH  
 PARISH  
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	D000	D106	PTEC2030B05	1	9.00 12.20		4	615	110 23	00000
	D000	D106	PTEC1610B01	1 1	10.00 11.50		20	615	110 23	00000
	D000	D106	PTEC1320B02	1 1	10.00 11.50		14	615	110 23	00000
	D000	D106	PTEC2420B01	1 1	13.30 15.50		22	615	110 23	00000
	D000	D106	PTEC2420B02	1 1	13.30 15.50		17	615	110 23	00000
	D000	D106	PTEC1000B05	1 1	16.00 16.50		4	615	110 23	00000
	D000	D106	PTEC1310B06	1	17.30 21.20		14	615	110 23	00000
	D000	D106	PTEC1610B05	1	17.30 21.20		16	615	110 23	00000
	D000	D106	PTEC2420B03	1	17.30 22.20		22	615	110 23	00000
	D000	D106	PTEC2420B04	1	17.30 22.20		16	615	110 23	00000
	D000	D106	PTEC1010B05	1	18.00 20.50		12	615	110 23	00000
	D000	D106	PTEC2630B02	1	18.00 20.50		18	615	110 23	00000
	D000	D107	MATH1015BJ1	1 1	9.00 10.20		27	633	110 51	00000
	D000	D107	MATH1020BJ3	1 1	9.00 10.20		13	633	110 51	00000
	D000	D107	MATH1020BJ1	1 1	13.00 14.20		17	633	110 51	00000
	D000	D107	MATH1015BJ2	1 1	13.00 14.20		25	633	110 51	00000
	D000	D107	PTEC1310B04	1 1	14.30 16.20		20	633	110 51	00000
	D000	D107	PTEC1310B05	1 1	14.30 16.20		23	633	110 51	00000
	D000	D107	MATH1020BJ2	1	17.30 20.20		21	633	110 51	00000
	D000	D107	PTEC1310B07	1	17.30 21.20		9	633	110 51	00000
	D000	D107	PTEC1310B08	1	17.30 21.20		20	633	110 51	00000
	D000	D109	PTEC2630B01	1 1	10.00 11.20		19	604	240 26	00000
	D000	D109	PTEC2630B03	1 1	10.00 11.20		14	604	240 26	00000
	D000	D109	PTEC2440B01	1	13.00 15.50		19	604	240 26	00000
	D000	D109	PTEC2440B02	1	13.00 15.50		15	604	240 26	00000
	D000	D109	PTEC2440B03	1	18.00 20.50		18	604	240 26	00000
	D000	D109	PTEC2440B04	1	18.00 20.50		17	604	240 26	00000
	D000	D117	PTEC2430B01	1	7.00 11.50		12	3,245	220 80	00000
	D000	D117	PTEC2430B03	1	7.00 11.50		10	3,245	220 80	00000
	D000	D117	PTEC2430B05	1	7.00 11.50		9	3,245	220 80	00000
	D000	D117	PTEC2912B01	1	9.00 11.50		17	3,245	220 80	00000
	D000	D117	PTEC1610B02	1 1	13.00 14.50		20	3,245	220 80	00000
	D000	D117	PTEC1610B03	1 1	13.00 14.50		13	3,245	220 80	00000
	D000	D117	PTEC2430B02	1	16.00 20.50		12	3,245	220 80	00000
	D000	D117	PTEC2430B04	1	16.00 20.50		12	3,245	220 80	00000
	D000	D117	PTEC2430B06	1	16.00 20.50		12	3,245	220 80	00000
	D000	D117	PTEC1610B04	1	17.30 21.20		18	3,245	220 80	00000
	D000	D200	PTEC2630B04	1	9.00 11.50		8	790	210 31	00000
	D000	D200	INST1120B01	1 1	11.00 12.50		16	790	210 31	00000
	D000	D200	INST1120B03	1 1	13.00 14.50		5	790	210 31	00000
	D000	D200	INST2625B02	1 1	17.00 19.50		13	790	210 31	00000
	D000	D204	INST1425B01	1 1	9.00 10.50		18	479	110 20	00000
	D000	D204	INST1410B01	1	11.00 14.50		17	479	110 20	00000
	D000	D204	INST1430B01	1	16.00 19.50		18	479	110 20	00000
	D000	D204	INST1215B01	1 1	17.00 19.50		17	479	110 20	00000
	D000	D204	PTEC2912B03	1	18.00 20.50		12	479	110 20	00000
	D000	D204	INST2731B01	1	18.00 21.20		17	479	110 20	00000
	D000	D300	PTEC1010B01	1 1	8.00 9.20		17	2,007	210 41	00000
	D000	D300	PTEC1010B02	1 1	8.00 9.20		18	2,007	210 41	00000
	D000	D300	PTEC1310B02	1 1	10.00 11.50		17	2,007	210 41	00000
	D000	D300	PTEC1310B03	1 1	10.00 11.50		18	2,007	210 41	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2016  
 RUN DATE 11/18/2016 13:48:54  
 PAGE NUM 4

L.T.C.-RIVER PARISHES  
 BRANCH  
 PARISH  
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	D000	D300	PTEC1010B03	1 1	12.30 13.50		20		210 41	00000
	D000	D300	PTEC1010B04	1 1	12.30 13.50		19		210 41	00000
	D000	D300	PTEC1320B04	1	17.30 21.20		18		210 41	00000
	D000	D300	PTEC1320B05	1	17.30 21.20		10		210 41	00000
	D000	D305	INST1120B02	1 1	17.00 18.50		11		215 16	00000
	E000	E100	ENGL1015BJ4	1	9.30 12.20		8		210 30	00000
	E000	E100	ENGL1015BJ1	1 1	10.00 11.20		25		210 30	00000
	E000	E100	ENGL1060BJ1	1 1	13.00 14.20		20		210 30	00000
	E000	E100	ENGL1015BJ2	1 1	14.30 15.50		24		210 30	00000
	E000	E100	ENGL1015BJ3	1	17.00 19.50		25		210 30	00000
	E000	E100	ENGL1060BJ2	1	17.00 19.50		15		210 30	00000
	E000	E100	ENGL1060BJ3	1	17.00 19.50		22		210 30	00000
	G000	G100	PTEC2912B04	1	18.00 20.50		9		110 30	00000
	J000	J100	ORNT1000BJ3	1	9.30 10.20		22	1,426	210 50	00000
	J000	J100	PHSC1015BJ3	1 1	10.30 11.50		25	750	210 50	00000
	J000	J100	CHEM1410BJ3	1 1	13.00 14.20		21	750	210 50	00000
	J000	J100	PTEC1320B03	1 1	13.00 14.50		11	750	210 50	00000
	J000	J100	INST1130B01	1 1	15.00 16.50		15	750	210 50	00000
	J000	J100	CHEM1410BJ1	1 1	17.00 18.20		27	750	210 50	00000
	J000	J100	INST1420B02	1 1	17.00 18.50		15	750	210 50	00000
	J000	J100	PHSC1015BJ1	1	18.00 20.50	1	13	750	210 50	00000
	J000	J100	PHSC1015BJ2	1	18.00 20.50		9	750	210 50	00000
	J000	J100	PHSC1016B03	1	18.30 20.20		16	750	210 50	00000
	J000	J200	CHEM1411B04	1	9.00 10.50		13	750	210 25	00000
	J000	J200	CHEM1411B06	1 1	13.00 14.20		3	750	210 25	00000
	J000	J200	CHEM1411B05	1	16.00 17.50		17	750	210 25	00000
	J000	J200	PHSC1016B01	1	16.00 17.50		16	750	210 25	00000
	J000	J200	CHEM1411B01	1	18.30 20.20		17	750	210 25	00000
	J000	J200	CHEM1411B03	1	18.30 20.20		16	750	210 25	00000
	J000	J200	CHEM1411B02	1	18.30 20.20		17	750	210 25	00000

D E S C R I P T I O N   A N D   S U M M A R Y   O F   E R R O R S   &   W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -	
	THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,	
	THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	2
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -	
	CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - -	4
	PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -	
	THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	6
TOTAL NUMBER OF RECORDS READ	- - - - -	183
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	181
NUMBER OF JOINT-CLASS RECORDS	- - - - -	32
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	2

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/18/2016 13:48:54

PAGE NUM 1

L.T.C.-RIVER PARISHES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>*CLASSROOM FACILITIES</b>			
TOTAL NUMBER OF ROOMS			16
TOTAL NUMBER OF STATIONS (CAPACITY)			415
WEEKLY STUDENT CONTACT HOURS	2,696	1,204	3,901
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,440	800	2,240
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	467	157	624
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	37,350	20,750	58,100
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,089	4,398	15,487
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,393	2,409	7,802
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	32.4	19.6	27.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	14.4	11.6	13.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	48.6	54.8	50.4
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>CLASSROOM</b>			
TOTAL NUMBER OF ROOMS			15
TOTAL NUMBER OF STATIONS (CAPACITY)			390
WEEKLY STUDENT CONTACT HOURS	2,696	1,204	3,901
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,350	750	2,100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	467	157	624
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	35,100	19,500	54,600
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,089	4,398	15,487
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,393	2,409	7,802
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	34.6	20.9	29.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	15.4	12.4	14.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	48.6	54.8	50.4

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/18/2016 13:48:54  
 PAGE NUM 2

L.T.C.-RIVER PARISHES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>*LABORATORY FACILITIES</b>			
TOTAL NUMBER OF ROOMS			20
TOTAL NUMBER OF STATIONS (CAPACITY)			665
WEEKLY STUDENT CONTACT HOURS	4,451	1,308	5,759
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,800	1,000	2,800
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	900	146	1,046
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	59,850	33,250	93,100
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	33,133	6,216	39,349
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,903	2,616	11,519
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	50.0	14.6	37.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	14.9	7.9	12.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	26.9	42.1	29.3
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>CLASS LABORATORY</b>			
TOTAL NUMBER OF ROOMS			13
TOTAL NUMBER OF STATIONS (CAPACITY)			435
WEEKLY STUDENT CONTACT HOURS	3,283	1,236	4,519
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,170	650	1,820
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	766	138	904
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	39,150	21,750	60,900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	25,325	5,576	30,901
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,567	2,472	9,039
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	65.5	21.2	49.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	16.8	11.4	14.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	25.9	44.3	29.3

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/18/2016 13:48:54  
 PAGE NUM 3

L.T.C.-RIVER PARISHES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABORATORY			
TOTAL NUMBER OF ROOMS			7
TOTAL NUMBER OF STATIONS (CAPACITY)			230
WEEKLY STUDENT CONTACT HOURS	1,168	72	1,240
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	630	350	980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	134	8	142
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	20,700	11,500	32,200
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,808	640	8,448
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,336	144	2,480
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	21.3	2.3	14.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	11.3	1.3	7.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	29.9	22.5	29.4

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY