

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 12/08/2016 16:03:47
 PAGE NUM 1

L.T.C.-SABINE VALLEY
 BRANCH
 PARISH
 RELATION
 SABINE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	MDAO	0013	JOBS2450D01	11111	8.00 9.15		9	704	110 16 00000
	MDAO	0015	OSYS2530D01	11111	8.00 9.20		4	704	110 20 00000
	MDAO	0015	ACCT1200D01	11111	8.00 9.29	1	5	704	110 20 00000
	MDAO	0015	BADM1050D01	11111	9.30 10.25		5	704	110 20 00000
	MDAO	0015	SPPR2991D01	11111	9.30 10.30	1	1	704	110 20 00000
	MDAO	0015	ACCT1250D01	1111	9.30 10.50	1	4	704	110 20 00000
	MDAO	0015	DVMA0090D01	11111	10.05 11.05	1	2	704	110 20 00000
	MDAO	0015	BOTH1230D01	11111	10.30 11.25	1	10	704	110 20 00000
	MDAO	0015	BOTH2110D01	11111	10.30 11.25	1	5	704	110 20 00000
	MDAO	0015	MATR1350D01	11111	10.30 11.25	1	1	704	110 20 00000
8	MDAO	0015	CPTR1320D01	11111	10.30 11.59	1	11	704	110 20 00000
8	MDAO	0015	KYBD1200D01	11111	10.30 11.59	1	7	704	110 20 00000
8	MDAO	0015	BUSF1050D01	1111	11.00 12.20	1	10	704	110 20 00000
8	MDAO	0015	ACCT1100D01	11111	12.00 13.29	1	9	704	110 20 00000
8	MDAO	0015	DVEN0090D01	11111	12.30 13.30	1	1	704	110 20 00000
	MDAO	0028	ORNT1000D01	1111	8.00 9.00		7	2,176	110 24 00000
	MDAO	0028	ORNT1000D03	1111	8.00 9.00	1	9	2,176	110 24 00000
	MDAO	0028	HCOR1212D03	111111	8.00 13.00	1	16	2,176	110 24 00000
8	MDAO	0028	HCOR2997D03	111111	8.00 13.00	1	9	2,176	110 24 00000
8	MDAO	0028	HEKG1113D01	111111	8.00 13.00	1	28	2,176	110 24 00000
8	MDAO	0028	HNUR1211D03	111111	8.00 13.00	1	16	2,176	110 24 00000
8	MDAO	0028	ORNT1000D02	1111	9.15 10.15	1	19	2,176	110 24 00000
	MDAO	0028	BOTH1120D01	11111	13.15 14.20		13	2,176	110 24 00000
	MDAO	0028	HCOR1200D01	11111	13.15 14.20	1	22	2,176	110 24 00000
	MDAO	0029	HCOR1212D01	11111	8.00 11.30		5	816	110 15 00000
	MDAO	0029	HCOR2997D01	1111	8.00 11.30	1	10	816	110 15 00000
	MDAO	0029	HNUR1211D01	11111	8.30 10.30	1	5	816	110 15 00000
	MDAO	0029	HCOR2997D02	1111	12.00 15.30		10	816	110 15 00000
	MDAO	0029	HNUR1211D02	111111	12.30 14.00	1	9	816	110 15 00000
8	MDAO	0029	HCOR1212D02	111111	12.30 15.00	1	9	816	110 15 00000
	MDAO	0032	ELEC1430D01	111111	8.00 8.35		7	1,260	110 20 00000
	MDAO	0032	ELEC2460D02	111111	8.00 8.35	1	2	1,260	110 20 00000
	MDAO	0032	ELEC1111D01	111111	8.00 8.40	1	6	1,260	110 20 00000
	MDAO	0032	ELEC1131D01	111111	8.00 8.40	1	6	1,260	110 20 00000
	MDAO	0032	ELEC1131D03	111111	8.00 8.40	1	3	1,260	110 20 00000
	MDAO	0032	ELEC1311D01	111111	8.00 8.40	1	3	1,260	110 20 00000
	MDAO	0032	ELEC1211D01	111111	8.00 9.10	1	2	1,260	110 20 00000
8	MDAO	0032	CPTR1002D01	11111	8.00 9.50	1	3	1,260	110 20 00000
4	MDAO	0032	ELEC1312D01	111111	10.45 11.05		1	1,260	110 20 00000
	MDAO	0032	ELEC2460D03	111111	10.45 11.20	1	2	1,260	110 20 00000
	MDAO	0032	ELEC2460D03	111111	11.25 12.00		2	1,260	110 20 00000
	MDAO	0032	ELEC1000D01	111111	13.00 14.00		5	1,260	110 20 00000
	MDAO	0032	CPTR1000D01	1111	13.05 14.20	1	25	1,260	110 20 00000
	MDAO	0038	HNUR1211D01	11111	10.35 11.30		5	221	210 5 00000
8	MDAO	0038	HNUR1211D02	111111	14.05 15.00		9	221	210 5 00000
	MDAO	0039	ELEC1230D02	111111	8.00 10.05		3	2,112	210 10 00000
	MDAO	0039	ELEC2460D02	111111	8.40 9.15	1	2	2,112	210 10 00000
	MDAO	0039	ELEC1430D01	111111	8.40 9.50	1	7	2,112	210 10 00000
8	MDAO	0039	ELEC1111D01	111111	8.45 10.40	1	6	2,112	210 10 00000
8	MDAO	0039	ELEC1131D01	111111	8.45 10.40	1	6	2,112	210 10 00000
8	MDAO	0039	ELEC1131D03	111111	8.45 10.40	1	3	2,112	210 10 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 12/08/2016 16:03:47
 PAGE NUM 2

L.T.C.-SABINE VALLEY
 BRANCH
 PARISH
 RELATION
 SABINE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	MDAO	0039	ELEC1311D01	111111	8.45 12.10	1	3	2,112	210 10 0000
8	MDAO	0039	ELEC1211D01	111111	9.15 11.35	1	2	2,112	210 10 0000
8	MDAO	0039	ELEC1220D01	111111	9.25 11.30	1	2	2,112	210 10 0000
8	MDAO	0039	ELEC1312D01	111111	11.10 12.50	1	1	2,112	210 10 0000
8	MDAO	0039	ELEC2991D01	111111	12.05 12.50	1	1	2,112	210 10 0000
4	MDB0	0050	WELD1120D02	111111	7.30 7.55		4	640	110 15 0000
	MDB0	0050	WELD1111D01	111111	7.30 8.00	1	4	640	110 15 0000
	MDB0	0050	WELD2100D01	111111	7.30 8.00	1	1	640	110 15 0000
	MDB0	0050	WELD1141D01	111111	7.30 8.01	1	1	640	110 15 0000
4	MDB0	0050	WELD1211D01	111111	8.05 8.30		4	640	110 15 0000
	MDB0	0050	WELD1130D01	111111	9.05 10.00		3	640	110 15 0000
	MDB0	0050	WELD2111D02	111111	9.20 10.45	1	2	640	110 15 0000
	MDB0	0050	WELD1413D01	111111	9.40 10.10	1	6	640	110 15 0000
	MDB0	0050	WELD1421D01	111111	9.45 10.15	1	2	640	110 15 0000
	MDB0	0050	WELD2311D02	111111	10.50 12.15		1	640	110 15 0000
	MDB0	0050	WELD1420D02	111111	12.50 14.30		1	640	110 15 0000
	MDB0	0051	WELD1412D02	111111	7.30 9.00		1	900	210 15 0000
	MDB0	0051	WELD1510D02	111111	7.30 9.25	1	1	900	210 15 0000
	MDB0	0051	WELD2220D01	111111	7.30 9.25	1	1	900	210 15 0000
4	MDB0	0051	WELD1120D02	111111	8.00 8.25	1	4	900	210 15 0000
	MDB0	0051	WELD1412D01	111111	8.30 9.50		4	900	210 15 0000
	MDB0	0051	WELD2100D01	111111	8.35 9.10	1	1	900	210 15 0000
	MDB0	0051	WELD1310D02	111111	9.30 10.55		1	900	210 15 0000
	MDB0	0051	WELD1511D02	111111	9.30 11.15	1	1	900	210 15 0000
	MDB0	0051	WELD1310D01	111111	10.05 11.00	1	5	900	210 15 0000
	MDB0	0051	WELD1413D01	111111	10.15 10.55	1	6	900	210 15 0000
	MDB0	0051	WELD1421D01	111111	10.20 11.15	1	2	900	210 15 0000
	MDB0	0051	WELD1410D01	111111	10.30 11.20	1	2	900	210 15 0000
	MDB0	0051	WELD2100D02	111111	10.50 12.20	1	1	900	210 15 0000
	MDB0	0051	WELD1411D01	111111	11.00 12.20	1	5	900	210 15 0000
8	MDB0	0051	WELD2210D02	111111	11.00 12.25	1	1	900	210 15 0000
8	MDB0	0051	WELD2230D01	111111	11.05 12.35	1	1	900	210 15 0000
8	MDB0	0051	WELD2230D02	111111	11.20 12.50	1	1	900	210 15 0000
8	MDB0	0051	WELD2230D03	111111	11.25 12.55	1	1	900	210 15 0000
8	MDB0	0051	WELD2311D01	111111	12.40 14.15	1	3	900	210 15 0000
8	MDB0	0051	WELD1131D02	111111	13.00 14.30	1	3	900	210 15 0000
8	MDB0	0051	WELD1411D02	111111	13.10 14.30	1	2	900	210 15 0000
8	MDB0	0051	WELD2310D02	111111	13.25 14.45	1	1	900	210 15 0000
8	MDB0	0051	WELD1130D02	111111	13.35 14.30	1	1	900	210 15 0000
4	MDB0	0052	WELD2100D01	111111	8.05 8.30		1	740	210 5 0000
	MDB0	0052	WELD1211D01	111111	8.35 9.35		4	740	210 5 0000
	MDB0	0052	WELD2111D01	111111	9.55 11.25		1	740	210 5 0000
	MDB0	0052	WELD2210D01	111111	10.35 12.00	1	2	740	210 5 0000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

- 1 = ERROR - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -
 THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,
 THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.
- 2 = ERROR - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -
- 3 = ERROR - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -
- 4 = WARNING - CLASS TIME EXCEEDS 5 HOURS. - - - - - 5
- 5 = ERROR - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -
 CIRCULATION, CUSTODIAL OR MECHANICAL.
- 7 = ERROR - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -
- 8 = WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - - 29
 PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.
- 9 = WARNING - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -
 THERE SHOULD BE NO DUPLICATES.

----- T O T A L S -----

TOTAL ERRORS	- - - - -	-
TOTAL WARNINGS	- - - - -	34
TOTAL NUMBER OF RECORDS READ	- - - - -	94
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	94
NUMBER OF JOINT-CLASS RECORDS	- - - - -	69
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 12/08/2016 16:03:47

PAGE NUM 1

L.T.C.-SABINE VALLEY

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			8
TOTAL NUMBER OF STATIONS (CAPACITY)			141
WEEKLY STUDENT CONTACT HOURS	3,754		3,754
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	720	400	1,120
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	831		831
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	12,690	7,050	19,740
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	16,321		16,321
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,508		7,508
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	115.4	.0	74.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	59.2	.0	38.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	46.0	.0	46.0
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			8
TOTAL NUMBER OF STATIONS (CAPACITY)			141
WEEKLY STUDENT CONTACT HOURS	3,754		3,754
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	720	400	1,120
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	831		831
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	12,690	7,050	19,740
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	16,321		16,321
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,508		7,508
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	115.4	.0	74.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	59.2	.0	38.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	46.0	.0	46.0

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 12/08/2016 16:03:47
 PAGE NUM 2

L.T.C.-SABINE VALLEY

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			5
TOTAL NUMBER OF STATIONS (CAPACITY)			45
WEEKLY STUDENT CONTACT HOURS	802		802
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	450	250	700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	615		615
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4,050	2,250	6,300
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,450		7,450
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,605		1,605
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	136.7	.0	87.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	39.6	.0	25.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	21.5	.0	21.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			5
TOTAL NUMBER OF STATIONS (CAPACITY)			45
WEEKLY STUDENT CONTACT HOURS	802		802
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	450	250	700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	615		615
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4,050	2,250	6,300
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,450		7,450
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,605		1,605
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	136.7	.0	87.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	39.6	.0	25.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	21.5	.0	21.5

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY