

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2016  
 RUN DATE 10/26/2016 15:55:11  
 PAGE NUM 1

L.T.C.-SHELBY JACKSON  
 BRANCH  
 PARISH  
 RELATION

| ERRORS/<br>WARNINGS<br>----- | BLDNG./ROOM<br>NO. | COURSE/SECT.<br>NO. | MEETING<br>DAYS<br>MTWTFSS | BEGIN - END<br>TIMES | J A D I<br>N L I N<br>T T F C | TOTAL<br>REG | NET ASSIGN.<br>SQ. FT. | ROOM<br>TYPE &<br>CAPACITY | RECRD<br>NO. |
|------------------------------|--------------------|---------------------|----------------------------|----------------------|-------------------------------|--------------|------------------------|----------------------------|--------------|
| 4                            | 0EFA               | 0149                | HNUR1212F01                | 1                    | 6.30 12.30                    |              | 19                     | 790                        | 110 45 00000 |
| 4                            | 0EFA               | 0149                | HNUR1212F02                | 1                    | 6.30 12.30                    |              | 2                      | 790                        | 110 45 00000 |
|                              | 0EFA               | 0149                | HNUR1302F01                | 1 1                  | 8.00 11.00                    |              | 37                     | 790                        | 110 45 00000 |
|                              | 0EFA               | 0149                | HNUR1312F01                | 1 1                  | 8.00 11.00                    |              | 35                     | 790                        | 110 45 00000 |
|                              | 0EFA               | 0149                | HNUR1211F02                | 1 1                  | 11.45 14.45                   |              | 21                     | 790                        | 110 45 00000 |
|                              | 0EFA               | 0149                | HNUR1311F01                | 1 1                  | 11.45 14.45                   | 1            | 39                     | 790                        | 110 45 00000 |
|                              | 0EFA               | 0149                | ORNT1000F03                | 1                    | 11.45 14.45                   |              | 40                     | 790                        | 110 45 00000 |
|                              | 0EFA               | 0150                | HNUR2123F01                | 1111                 | 8.00 11.00                    |              | 16                     | 561                        | 110 35 00000 |
|                              | 0EFA               | 0150                | HNUR2183F01                | 11                   | 11.45 14.45                   |              | 16                     | 561                        | 110 35 00000 |
|                              | 0EFA               | 0150                | HNUR2143F01                | 11                   | 11.45 14.45                   |              | 16                     | 561                        | 110 35 00000 |
|                              | 0EFA               | 0151                | HPHM1200F01                | 1                    | 8.00 11.00                    |              | 13                     | 528                        | 110 25 00000 |
| 4                            | 0EFA               | 0151                | HPHM1500F01                | 1                    | 8.00 15.00                    |              | 14                     | 528                        | 110 25 00000 |
| 4                            | 0EFA               | 0151                | HPHM1510F01                | 1                    | 8.00 15.00                    | 1            | 1                      | 528                        | 110 25 00000 |
|                              | 0EFA               | 0151                | ORNT1000F02                | 1                    | 10.00 12.00                   |              | 14                     | 528                        | 110 25 00000 |
|                              | 0EFA               | 0151                | HPHM1410F01                | 1                    | 12.00 13.30                   |              | 14                     | 528                        | 110 25 00000 |
|                              | 0EFA               | 0151                | HPHM1300F01                | 1                    | 12.00 15.00                   |              | 13                     | 528                        | 110 25 00000 |
| 4                            | 0EFA               | 0152                | HCOR1212F01                | 11                   | 6.30 12.30                    |              | 12                     | 648                        | 110 25 00000 |
|                              | 0EFA               | 0152                | HCOR1300F01                | 1                    | 8.00 10.59                    |              | 18                     | 648                        | 110 25 00000 |
|                              | 0EFA               | 0152                | HNUR1211F01                | 1 11                 | 8.00 11.00                    |              | 12                     | 648                        | 110 25 00000 |
|                              | 0EFA               | 0152                | HCOR1210F01                | 1 1                  | 8.00 11.00                    | 1            | 17                     | 648                        | 110 25 00000 |
|                              | 0EFA               | 0152                | HNUR1211F01                | 1                    | 8.00 11.00                    |              | 12                     | 648                        | 110 25 00000 |
|                              | 0EFA               | 0152                | ORNT1000F01                | 1                    | 9.00 11.00                    |              | 17                     | 648                        | 110 25 00000 |
|                              | 0EFA               | 0152                | HCOR1210F01                | 1 1                  | 11.45 13.45                   |              | 17                     | 648                        | 110 25 00000 |
|                              | 0EFA               | 0152                | HCOR1320F01                | 11                   | 11.45 14.30                   |              | 17                     | 648                        | 110 25 00000 |
|                              | 0EFB               | 0209                | WELD1120F01                | 11111                | 7.45 8.45                     |              | 15                     | 417                        | 110 20 00000 |
|                              | 0EFB               | 0209                | WELD1130F01                | 11111                | 7.45 8.45                     | 1            | 14                     | 417                        | 110 20 00000 |
| 8                            | 0EFB               | 0209                | WELD2210F01                | 11111                | 7.45 11.30                    | 1            | 6                      | 417                        | 110 20 00000 |
| 8                            | 0EFB               | 0209                | WELD2230F01                | 11111                | 7.45 11.30                    | 1            | 5                      | 417                        | 110 20 00000 |
| 8                            | 0EFB               | 0209                | WELD1512F02                | 11111                | 8.00 9.59                     | 1            | 2                      | 417                        | 110 20 00000 |
| 8                            | 0EFB               | 0209                | WELD1210F01                | 11111                | 9.00 10.00                    | 1            | 15                     | 417                        | 110 20 00000 |
| 8                            | 0EFB               | 0209                | WELD1310F01                | 11111                | 9.00 10.00                    | 1            | 14                     | 417                        | 110 20 00000 |
| 8                            | 0EFB               | 0209                | WELD1412F01                | 11111                | 9.00 11.30                    | 1            | 3                      | 417                        | 110 20 00000 |
| 8                            | 0EFB               | 0209                | WELD1511F01                | 11111                | 10.00 11.00                   | 1            | 4                      | 417                        | 110 20 00000 |
|                              | 0EFB               | 0209                | WELD1410F01                | 11111                | 12.00 13.59                   |              | 13                     | 417                        | 110 20 00000 |
|                              | 0EFB               | 0209                | WELD1411F01                | 11111                | 12.00 15.00                   | 1            | 13                     | 417                        | 110 20 00000 |
|                              | 0EFB               | 0209                | WELD1512F01                | 11111                | 12.00 15.00                   | 1            | 2                      | 417                        | 110 20 00000 |
| 8                            | 0EFB               | 0209                | WELD2110F01                | 11111                | 12.00 15.00                   | 1            | 4                      | 417                        | 110 20 00000 |
| 8                            | 0EFB               | 0209                | WELD2111F01                | 11111                | 12.00 15.00                   | 1            | 4                      | 417                        | 110 20 00000 |
| 8                            | 0EFB               | 0209                | WELD2310F01                | 11111                | 12.00 15.00                   | 1            | 7                      | 417                        | 110 20 00000 |
| 8                            | 0EFB               | 0209                | WELD2311F01                | 11111                | 12.00 15.00                   | 1            | 7                      | 417                        | 110 20 00000 |
| 8                            | 0EFB               | 0209                | WELD1110F02                | 11111                | 14.00 14.59                   | 1            | 9                      | 417                        | 110 20 00000 |
| 8                            | 0EFB               | 0209                | WELD1110F01                | 11111                | 14.00 15.55                   | 1            | 1                      | 417                        | 110 20 00000 |
| 8                            | 0EFB               | 0209                | WELD1140F01                | 11111                | 15.01 15.31                   | 1            | 9                      | 417                        | 110 20 00000 |

D E S C R I P T I O N   A N D   S U M M A R Y   O F   E R R O R S   &   W A R N I N G S

- 1 = ERROR - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - - THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.
- 2 = ERROR - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -
- 3 = ERROR - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -
- 4 = WARNING - CLASS TIME EXCEEDS 5 HOURS. - - - - - 5
- 5 = ERROR - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - - CIRCULATION, CUSTODIAL OR MECHANICAL.
- 7 = ERROR - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -
- 8 = WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - - 14  
 PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.
- 9 = WARNING - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -  
 THERE SHOULD BE NO DUPLICATES.

----- T O T A L S -----

|  |  |    |
|--|--|----|
| TOTAL ERRORS   |  |    |
| TOTAL WARNINGS   |  | 19 |
| TOTAL NUMBER OF RECORDS READ                                       |  | 43 |
| TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION |  | 43 |
| NUMBER OF JOINT-CLASS RECORDS                                      |  | 20 |
| NUMBER OF ALTERATE WEEKS RECORDS                                   |  |    |
| NUMBER OF DIFFERENT TIMES RECORDS                                  |  |    |
| NUMBER OF INCONSISTENT RECORDS                                     |  |    |

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/26/2016 15:55:11

PAGE NUM 1

L.T.C.-SHELBY JACKSON

|  | DAY USE<br>(0600-1700) | NIGHT USE<br>(1700-2300) | T O T A L<br>(0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| <b>*CLASSROOM FACILITIES</b>   |                        |                          |                          |
| TOTAL NUMBER OF ROOMS  |                        |                          | 12                       |
| TOTAL NUMBER OF STATIONS (CAPACITY)  |                        |                          | 298                      |
| WEEKLY STUDENT CONTACT HOURS   | 3,652                  |                          | 3,652                    |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS                    | 1,080                  | 600                      | 1,680                    |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS                       | 673                    |                          | 673                      |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS         | 26,820                 | 14,900                   | 41,720                   |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 16,815                 |                          | 16,815                   |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS                    | 7,304                  |                          | 7,304                    |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE   | 62.3                   | .0                       | 40.1                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE                                     | 27.2                   | .0                       | 17.5                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS                   | 43.4                   | .0                       | 43.4                     |
|  | DAY USE<br>(0600-1700) | NIGHT USE<br>(1700-2300) | T O T A L<br>(0600-2300) |
| <b>CLASSROOM</b>   |                        |                          |                          |
| TOTAL NUMBER OF ROOMS  |                        |                          | 12                       |
| TOTAL NUMBER OF STATIONS (CAPACITY)  |                        |                          | 298                      |
| WEEKLY STUDENT CONTACT HOURS   | 3,652                  |                          | 3,652                    |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS                    | 1,080                  | 600                      | 1,680                    |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS                       | 673                    |                          | 673                      |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS         | 26,820                 | 14,900                   | 41,720                   |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 16,815                 |                          | 16,815                   |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS                    | 7,304                  |                          | 7,304                    |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE   | 62.3                   | .0                       | 40.1                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE                                     | 27.2                   | .0                       | 17.5                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS                   | 43.4                   | .0                       | 43.4                     |

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY