

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2016
 RUN DATE 11/16/2016 15:19:30
 PAGE NUM 1

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.		
	MEAA	A0101	BARB1321E01	11111	9.25 10.25		7	341	630	23	00000
	MEAA	A0101	BARB2120E01	11111	11.05 11.55		8	341	630	23	00000
	MEAA	A0101	BARB1330E01	11111	11.30 12.30	1	7	341	630	23	00000
	MEAA	A0101	BARB1220E01	11111	12.10 12.40	1	14	341	630	23	00000
	MEAA	A0104	BARB1110E01	11111	8.00 8.30		14	495	110	32	00000
	MEAA	A0104	BARB1310E01	11111	8.00 9.20	1	7	495	110	32	00000
	MEAA	A0104	BARB1441E02	11111	8.00 11.00	1	7	495	110	32	00000
	MEAA	A0104	BARB1120E01	11111	8.35 9.45	1	14	495	110	32	00000
	MEAA	A0104	BARB1131E01	11111	9.50 10.20		14	495	110	32	00000
	MEAA	A0104	BARB1160E01	11111	10.25 11.40		14	495	110	32	00000
	MEAA	A0104	BARB1350E01	11111	10.30 11.00	1	6	495	110	32	00000
	MEAA	A0104	BARB2111E01	11111	12.30 13.30		6	495	110	32	00000
	MEAA	A0104	BARB1441E01	111111	12.35 14.45	1	6	495	110	32	00000
	MEAA	A0104	BARB1211E01	11111	12.45 14.45	1	14	495	110	32	00000
	MEAA	A0104	BARB1341E01	11111	13.35 14.35	1	7	495	110	32	00000
	MEAA	A0104	BARB2995EA1	1	17.00 20.00		16	495	110	32	00000
	MEAA	A0104	BARB2995EA2	1	17.00 20.00	1	5	495	110	32	00000
	MEAA	A0202	INTE2902E01	1 1 1	8.00 11.00		1	27	140	22	00000
	MEAA	A0202	INTE1100E01	1 1	8.00 11.00		8	27	140	22	00000
	MEAA	A0202	INTE1110E01	1 1	11.45 14.45		8	27	140	22	00000
4	MEAA	A0205	INTE2110E01	1 1	8.00 14.45		3	499	210	15	00000
4	MEAA	A0205	INTE2120E01	1 1	8.00 14.45	1	2	499	210	15	00000
4	MEAA	A0205	INTE2130E01	1 1	8.00 14.45	1	2	499	210	15	00000
4	MEAA	A0205	INTE2140E01	1 1	8.00 14.45	1	1	499	210	15	00000
	MEAA	A0207	INTE2850E01	1 1	8.00 11.00		6	451	210	14	00000
4	MEAA	A0207	INTE1200E01	1	8.00 14.45		7	451	210	14	00000
	MEAA	A0207	INTE2010E01	1 1	11.45 14.45		3	451	210	14	00000
	MEAA	A0207	INTE2020E01	1 1	11.45 14.45	1	2	451	210	14	00000
	MEAA	A0207	INTE2030E01	1 1	11.45 14.45	1	1	451	210	14	00000
	MEAA	A0208	SPPR2991E01	1 1 1	11.45 12.45		8	511	210	15	00000
	MEAA	A0208	INTE1330E01	1 1	11.45 14.45		2	511	210	15	00000
	MEAA	A0209	MATR1350E01	1111	9.30 10.45		2	1,149	220	22	00000
	MEAA	A0209	JOBS2450E01	1111	12.15 13.15		18	1,149	220	22	00000
	MEAA	A0209	CPTR1000E02	1111	13.30 14.45		16	1,149	220	22	00000
8	MEAA	A0209	CPTR1000E03	1111	13.30 14.45	1	21	1,149	220	22	00000
8	MEAA	A0209	CPTR1002E01	1111	13.30 14.45	1	3	1,149	220	22	00000
8	MEAA	A0209	ORNT1000E02	1	15.00 17.00		38	1,149	220	22	00000
8	MEAA	A0209	ORNT1000E04	1	15.00 17.00	1	3	1,149	220	22	00000
	MEAA	A0209	ORNT1000EV1	1	15.00 17.00		15	1,149	220	22	00000
	MEAA	A0209	ORNT1000E01	1	15.00 17.00	1	15	1,149	220	22	00000
	MEAA	A0209	CPTR1000E01	1	17.00 20.00		17	1,149	220	22	00000
	MEAA	A0209	JOBS2450EN1	1	17.00 20.00		1	1,149	220	22	00000
	MEAA	A0209	JOBS2450E02	1	17.00 20.00	1	9	1,149	220	22	00000
	MECC	C0101	HACR1210E01	11111	8.00 9.25		13	78	110	13	00000
	MECC	C0101	HACR1220E01	11111	9.35 10.55		14	78	110	13	00000
	MECC	C0101	HACR1230E01	11111	12.05 13.25		12	78	110	13	00000
	MECC	C0101	HACR1240E01	11111	13.35 14.55		6	78	110	13	00000
	MECC	C0101	HACR1210EN1	11111	17.05 20.00		3	78	110	13	00000
	MECC	C0101	HACR1220EN1	11111	17.05 20.00	1	3	78	110	13	00000
	MECC	C0101	HACR1230EN1	11111	17.05 20.00	1	2	78	110	13	00000
	MECC	C0101	HACR1240EN1	11111	17.05 20.00	1	5	78	110	13	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 11/16/2016 15:19:30
 PAGE NUM 2

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	MECC C0101	HACR1240E01	11111	17.05 20.00	1	6	78	110 13	00000	
	MECC C0102	HACR1150E01	11111	8.00 9.25		3	274	220 35	00000	
	MECC C0102	HACR1160E01	11111	9.35 10.55		3	274	220 35	00000	
	MECC C0102	HACR1170E01	11111	12.05 13.25		4	274	220 35	00000	
	MECC C0102	HACR1180E01	11111	13.35 14.55		11	274	220 35	00000	
	MECC C0102	HACR1180EN1	11111	17.05 20.00		3	274	220 35	00000	
	MECC C0104	CLRP1111E01	11111	8.00 8.30		6	33	210 40	00000	
4	MECC C0104	CLRP1141E01	11111	9.31 10.00		5	33	210 40	00000	
	MECC C101AA	HACR2510E01	11111	8.00 9.25		2	1,633	220 20	00000	
	MECC C101AA	HACR2520E01	11111	9.35 10.55		2	1,633	220 20	00000	
	MECC C101AA	HACR2530EN1	11111	17.05 20.00		2	1,633	220 20	00000	
	MECC C102AA	HACR1410E01	11111	8.00 8.55		14	570	110 13	00000	
	MECC C102AA	HACR1410E02	11111	8.00 8.55	1	1	570	110 13	00000	
	MECC C102AA	HACR1420E01	11111	9.05 9.55		14	570	110 13	00000	
	MECC C102AA	HACR1420E02	11111	9.05 9.55	1	1	570	110 13	00000	
	MECC C102AA	HACR2560E01	11111	10.05 10.55		9	570	110 13	00000	
	MECC C102AA	HACR2560E02	11111	10.05 10.55	1	1	570	110 13	00000	
	MECC C102AA	HACR2550E01	11111	12.05 13.25		14	570	110 13	00000	
	MECC C102AA	HACR2550E02	11111	12.05 13.25	1	1	570	110 13	00000	
	MECC C102AA	HACR2540E01	11111	13.35 14.55		8	570	110 13	00000	
	MECC C102AA	HACR2540E02	11111	13.35 14.55	1	1	570	110 13	00000	
	MECC C102AA	HACR2560EN1	11111	17.05 20.00		5	570	110 13	00000	
4	MECC C103AA	CLRP1170E01	11111	11.45 12.00		7	910	110 25	00000	
4	MECC C103AA	CLRP1160E01	11111	12.31 13.00		8	910	110 25	00000	
	MECC C103AA	CLRP1180E01	11111	13.01 13.45		8	910	110 25	00000	
	MECC C103AA	CLRP1190E01	11111	13.46 14.30		6	910	110 25	00000	
	MECC C104AA	CLRP1130E01	11111	8.31 9.30		6	560	110 22	00000	
	MECC C104AA	CLRP2993E01	11111	8.40 9.20	1	2	560	110 22	00000	
	MECC C104AA	CLRP2991E01	11111	9.41 10.20		1	560	110 22	00000	
	MECC C104AA	CLRP2100E01	11111	10.01 11.00	1	3	560	110 22	00000	
	MEDD D0102	WELD1111E01	1111	8.00 8.55		15	1,040	110 43	00000	
	MEDD D0102	WELD2211E01	11111	8.00 9.15	1	15	1,040	110 43	00000	
	MEDD D0102	WELD2231E01	11111	9.30 10.45		16	1,040	110 43	00000	
	MEDD D0102	WELD1141E01	1111	10.35 11.10	1	16	1,040	110 43	00000	
	MEDD D0102	WELD1122E01	1111	12.00 13.10		26	1,040	110 43	00000	
	MEDD D0102	WELD1131E01	1111	13.15 14.10		23	1,040	110 43	00000	
	MEDD D0102	WELD1211E01	1111	14.15 15.10		15	1,040	110 43	00000	
	MEDD D0106	DPET1120E01	11111	8.00 8.45		8	67	110 25	00000	
4	MEDD D0107	DPET1150E01	11111	9.20 9.45		14	130	110 16	00000	
4	8	MEDD D0107	DPET1310E01	11111	9.20 9.45	1	11	130	110 16	00000
	MEDD D0107	DPET1320E01	11111	9.45 10.30		9	130	110 16	00000	
	MEDD D0107	DPET1330E01	11111	10.30 11.00		14	130	110 16	00000	
	MEDD D0107	DPET2130E01	11111	12.00 13.00		15	130	110 16	00000	
	MEDD D0107	DPET2140E01	11111	13.00 13.30		15	130	110 16	00000	
	MEDD D0107	DPET2140E02	11111	13.00 13.30	1	1	130	110 16	00000	
	MEDD D0107	DPET2210E01	11111	13.30 14.00		13	130	110 16	00000	
	MEDD D0107	DPET2240E01	11111	14.00 14.45		13	130	110 16	00000	
	MEDD D0112	WELD1413E01	11111	8.00 8.50		13	72	210 30	00000	
	MEDD D0112	WELD1413E02	11111	8.00 8.50	1	1	72	210 30	00000	
	MEDD D0112	WELD1413E03	11111	8.00 8.50	1	1	72	210 30	00000	
	MEDD D0112	WELD1111E02	1111	8.00 8.55	1	1	72	210 30	00000	

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	MEDD	D0112	WELD2211E02	11111	8.00 9.15	1	1	72	210 30 00000
	MEDD	D0112	WELD1420E01	11111	8.00 9.30	1	7	72	210 30 00000
	MEDD	D0112	WELD2220E01	11111	8.00 9.30	1	6	72	210 30 00000
	MEDD	D0112	WELD1411E02	11111	9.00 10.30	1	1	72	210 30 00000
8	MEDD	D0112	WELD1411E01	1111	9.00 10.30	1	15	72	210 30 00000
8	MEDD	D0112	WELD2231E02	11111	9.30 10.45	1	1	72	210 30 00000
8	MEDD	D0112	WELD1510E01	11111	9.35 11.05	1	4	72	210 30 00000
8	MEDD	D0112	WELD2221E01	11111	9.35 11.05	1	7	72	210 30 00000
	MEDD	D0112	WELD1122E02	1111	12.00 13.00		1	72	210 30 00000
	MEDD	D0112	WELD1421E01	11111	12.00 13.30	1	18	72	210 30 00000
	MEDD	D0112	WELD1421E02	11111	12.00 13.30	1	2	72	210 30 00000
	MEDD	D0112	WELD1511E01	11111	12.00 13.30	1	7	72	210 30 00000
	MEDD	D0112	WELD2222E01	11111	12.00 13.30	1	7	72	210 30 00000
8	MEDD	D0112	WELD2312E01	11111	12.00 14.45	1	12	72	210 30 00000
8	MEDD	D0112	WELD1131E02	1111	13.15 14.10	1	1	72	210 30 00000
8	MEDD	D0112	WELD1512E01	11111	13.35 15.05	1	4	72	210 30 00000
8	MEDD	D0112	WELD2111E01	11111	13.45 15.30	1	8	72	210 30 00000
8	MEDD	D0112	WELD2111E02	11111	13.45 15.30	1	1	72	210 30 00000
	MEDD	D0112	WELD1410E01	111	16.00 17.10		1	72	210 30 00000
	MEDD	D0112	WELD1512EN2	1	17.00 19.00		1	72	210 30 00000
	MEDD	D0112	WELD1420EN2	1	17.00 21.00		3	72	210 30 00000
	MEDD	D0112	WELD1510EN2	1	17.00 21.00		1	72	210 30 00000
	MEDD	D0112	WELD1511EN2	1	17.00 21.00		1	72	210 30 00000
	MEDD	D0112	WELD2312EN2	1	17.00 21.00	1	3	72	210 30 00000
	MEDD	D0112	WELD2111EN2	111	17.15 18.25	1	3	72	210 30 00000
	MEDD	D0112	WELD2211EN3	111	18.30 19.40		2	72	210 30 00000
	MEDD	D0112	WELD2231EN3	111	19.45 21.00		3	72	210 30 00000
	MEEE	E0121	DVEN0090E01	11111	8.30 9.15		7	315	110 35 00000
	MEEE	E0121	DVEN0090E02	11111	8.30 9.15	1	1	315	110 35 00000
	MEEE	E0121	DVMA0090E01	11111	8.30 9.15	1	13	315	110 35 00000
	MEEE	E0121	DVMA0090E02	11111	8.30 9.15	1	1	315	110 35 00000
	MEEE	E0121	DVRE0090E01	11111	8.30 9.15	1	4	315	110 35 00000
	MEEE	E0121	DVRE0090E02	11111	8.30 9.15	1	1	315	110 35 00000
	MEEE	E0121	DVEN0091E01	11111	12.30 13.15		5	315	110 35 00000
	MEEE	E0121	DVMA0091E01	11111	12.30 13.15	1	8	315	110 35 00000
	MEEE	E0121	DVRE0091E01	11111	12.30 13.15	1	2	315	110 35 00000
4	MEEE	E0123	HPhL1013E01	1	7.30 14.30		5	300	110 48 00000
	MEEE	E0127	HEKG1113E01	1 1 1	7.30 11.30		5	60	210 35 00000
	MEEE	E0127	BOTH1210E01	1 1	7.30 11.30		10	60	210 35 00000
	MEEE	E0127	HNUR2812E01	11	7.30 11.30	1	15	60	210 35 00000
4	MEEE	E0127	HNUR1211E01	11	7.30 13.30	1	10	60	210 35 00000
4	MEEE	E0127	HNUR2118E01	111	7.30 14.30		28	60	210 35 00000
4	MEEE	E0127	HNUR2138E01	111	7.30 14.30	1	30	60	210 35 00000
8	MEEE	E0127	HCOR1200E01	1 1 1	8.30 11.30	1	10	60	210 35 00000
8	MEEE	E0127	HNUR1212E01	1 111	10.30 11.30	1	25	60	210 35 00000
8	MEEE	E0127	HNUR2722E01	11	10.30 11.30	1	43	60	210 35 00000
	MEEE	E0127	HCOR1801E01	111	12.15 14.30		5	60	210 35 00000
	MEEE	E0127	HCOR1601E01	1 1 1	12.15 14.30	1	10	60	210 35 00000
	MEEE	E0127	HNUR1363E01	11	12.15 14.30	1	25	60	210 35 00000
	MEEE	E0127	HCOR1212E01	11111	13.35 14.30	1	10	60	210 35 00000
4	MEEE	E0149	HNUR2993E01	11	7.30 15.30		1	503	110 35 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 11/16/2016 15:19:30
 PAGE NUM 4

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	MEEE	E0167	CULN1160E01	1 1 1	8.00 9.30		3	46	110 30 00000
	MEEE	E0167	CULN1160E02	1 1 1	8.00 9.30	1	1	46	110 30 00000
	MEEE	E0167	CULN1110E01	1 1 1	8.00 10.00	1	11	46	110 30 00000
	MEEE	E0167	CULN1140E01	1 1	8.00 10.30		8	46	110 30 00000
	MEEE	E0167	CULN1140E02	1 1	8.00 10.30	1	1	46	110 30 00000
	MEEE	E0167	CULN2410E01	11111	8.00 11.30	1	1	46	110 30 00000
	MEEE	E0167	CULN1240E01	1 1 1	10.00 15.00	1	3	46	110 30 00000
	MEEE	E0167	CULN1130E01	1 1 1	10.05 12.05	1	8	46	110 30 00000
	MEEE	E0167	CULN1170E01	1 1	11.00 13.00		8	46	110 30 00000
	MEEE	E0167	CULN2420E01	11111	11.30 14.30	1	1	46	110 30 00000
	MEEE	E0170	HNUR1322E01	1	7.30 9.25		32	184	210 37 00000
	MEEE	E0170	HNUR1211E02	1 1 1	7.30 10.25		23	184	210 37 00000
	MEEE	E0170	HNUR1211E03	1 1 1	7.30 10.25	1	2	184	210 37 00000
4	MEEE	E0170	HNUR2995E01	111	7.30 15.30	1	1	184	210 37 00000
	MEEE	E0170	HNUR1000E01	1	9.30 11.30	1	30	184	210 37 00000
	MEEE	E0170	HNUR1100E01	111	12.15 14.30		31	184	210 37 00000
	MEFF	F0108	AUTO1750E01	11111	7.50 9.29		7	583	110 31 00000
	MEFF	F0108	AUTO1100E02	11111	8.00 8.50	1	3	583	110 31 00000
	MEFF	F0108	AUTO1140E01	11111	8.30 9.20	1	9	583	110 31 00000
4	MEFF	F0108	AUTO1110E01	11111	8.55 9.15	1	2	583	110 31 00000
4	MEFF	F0108	AUTO1120E01	11111	9.20 9.45		2	583	110 31 00000
4	MEFF	F0108	AUTO1130E01	11111	9.50 10.15		3	583	110 31 00000
4	MEFF	F0108	AUTO1730E01	11111	12.00 12.25		2	583	110 31 00000
4	MEFF	F0108	AUTO1200E01	11111	12.30 12.55		7	583	110 31 00000
	MEFF	F0108	AUTO1671E01	11111	13.00 15.05		4	583	110 31 00000
4	MEFF	F0108	AUTO1610E01	11111	13.25 13.50	1	14	583	110 31 00000
	MEFF	F0108	AUTO1620E01	11111	13.55 14.45		17	583	110 31 00000
	MEFF	F0108	AUTO1630E01	11111	14.50 15.40		18	583	110 31 00000
4	MEFF	F0109	AUTO1002E01	11111	8.00 8.25		8	583	110 20 00000
4	MEFF	F0109	AUTO1720E01	11111	10.20 10.45		3	583	110 20 00000
	MEFF	F0109	AUTO1600E01	11111	12.30 13.20		14	583	110 20 00000
	MEFF	F0109	AUTO1800E01	11111	13.00 14.15	1	11	583	110 20 00000
4	MEFF	F0110	AUTO1300E01	11111	8.00 8.25		18	731	110 20 00000
	MEFF	F0110	AUTO1310E01	11111	8.30 9.55		18	731	110 20 00000
	MEFF	F0110	AUTO1342E01	11111	9.30 12.00	1	12	731	110 20 00000
4	MEFF	F0110	AUTO1320E01	11111	10.00 10.25	1	18	731	110 20 00000
4	MEFF	F0110	AUTO1330E01	11111	10.30 10.55		17	731	110 20 00000
4	MEFF	F0110	AUTO1340E01	11111	12.00 12.25		17	731	110 20 00000
	MEFF	F0115	ELEC1330E01	1 1	8.00 9.00		1	782	110 30 00000
	MEFF	F0115	ELEC1120E01	11111	8.00 9.55	1	10	782	110 30 00000
	MEFF	F0115	ELEC1420E01	1 1	8.00 10.45	1	5	782	110 30 00000
	MEFF	F0115	ELEC1210E01	11111	8.00 11.00	1	11	782	110 30 00000
	MEFF	F0115	ELEC1210E02	11111	8.00 11.00	1	2	782	110 30 00000
	MEFF	F0115	ELEC2460E01	1 1 1	10.00 11.00	1	1	782	110 30 00000
	MEFF	F0115	ELEC1440E01	11111	11.45 13.30		5	782	110 30 00000
	MEFF	F0115	ELEC1311E01	11111	11.45 14.45	1	3	782	110 30 00000
	MEFF	F0115	ELEC1311E02	11111	11.45 14.45	1	1	782	110 30 00000
	MEFF	F0115	ELEC1410E01	11111	13.35 14.45	1	5	782	110 30 00000
	MEFF	F0115	ELEC1120EN1	1 1	16.30 18.00		5	782	110 30 00000
	MEFF	F0115	ELEC1210EN1	1	16.30 19.00		3	782	110 30 00000
	MEFF	F0115	ELEC2460EN1	1 1	18.05 18.35		3	782	110 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2016
 RUN DATE 11/16/2016 15:19:30
 PAGE NUM 5

L.T.C.-SHREVEPORT BOSSIER

BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	MEFF F0115	ELEC1420EN1	1 1	18.05 21.00	1	1	782	110 30	00000
	MEFF F0115	ELEC1440EN1	1	19.05 20.00		1	782	110 30	00000
	MEFF F0115	ELEC1311EN1	111	19.05 21.00	1	1	782	110 30	00000
	MEFF F0115	ELEC1330EN1	1	20.00 20.30	1	3	782	110 30	00000
	MEFF F0115	ELEC1410EN1	1 1	20.05 21.00		1	782	110 30	00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	28
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	19
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		47
TOTAL NUMBER OF RECORDS READ		209
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		209
NUMBER OF JOINT-CLASS RECORDS		101
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/16/2016 15:19:30
 PAGE NUM 1

L.T.C.-SHREVEPORT BOSSIER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			44
TOTAL NUMBER OF STATIONS (CAPACITY)			1,344
WEEKLY STUDENT CONTACT HOURS	4,899	442	5,342
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,960	2,200	6,160
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,310	225	1,535
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	120,960	67,200	188,160
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	35,843	3,714	39,557
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,799	885	10,684
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	33.1	10.2	24.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	8.1	1.3	5.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	27.3	23.8	27.0
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			41
TOTAL NUMBER OF STATIONS (CAPACITY)			1,278
WEEKLY STUDENT CONTACT HOURS	4,794	442	5,237
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,690	2,050	5,740
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,268	225	1,493
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	115,020	63,900	178,920
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	34,919	3,714	38,633
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,589	885	10,474
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	34.4	11.0	26.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	8.3	1.4	5.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	27.5	23.8	27.1

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/16/2016 15:19:30
 PAGE NUM 2

L.T.C.-SHREVEPORT BOSSIER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			66
WEEKLY STUDENT CONTACT HOURS	105		105
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	42		42
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5,940	3,300	9,240
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	924		924
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	210		210
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	15.6	.0	10.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	3.5	.0	2.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	22.7	.0	22.7
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			25
TOTAL NUMBER OF STATIONS (CAPACITY)			920
WEEKLY STUDENT CONTACT HOURS	4,656	226	4,882
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,250	1,250	3,500
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,040	141	1,181
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	82,800	46,000	128,800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	29,751	3,936	33,687
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,312	452	9,764
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	46.2	11.3	33.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	11.2	1.0	7.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	31.3	11.5	29.0

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/16/2016 15:19:30
 PAGE NUM 3

L.T.C.-SHREVEPORT BOSSIER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			21
TOTAL NUMBER OF STATIONS (CAPACITY)			823
WEEKLY STUDENT CONTACT HOURS	4,002	70	4,072
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,890	1,050	2,940
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	878	63	941
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	74,070	41,150	115,220
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	25,467	1,890	27,357
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,005	140	8,145
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	46.5	6.0	32.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	10.8	.3	7.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	31.4	7.4	29.8
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABORATORY			
TOTAL NUMBER OF ROOMS			4
TOTAL NUMBER OF STATIONS (CAPACITY)			97
WEEKLY STUDENT CONTACT HOURS	653	156	809
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	360	200	560
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	162	78	240
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	8,730	4,850	13,580
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,284	2,046	6,330
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,307	312	1,619
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	45.0	39.0	42.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	15.0	6.4	11.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	30.5	15.2	25.6

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY